

Exhibit A



US006040143A

United States Patent [19]

Venta et al.

[11] **Patent Number:** 6,040,143[45] **Date of Patent:** Mar. 21, 2000[54] **DNA ENCODING VON WILLEBRAND FACTOR AND METHODS OF USE**

[75] **Inventors:** Patrick J. Venta, Pinckney; George J. Brewer; Vilma Yuzbaslyan-Gurkan, both of Ann Arbor; William D. Schall, Williamston, all of Mich.

[73] **Assignee:** The Regents of the University of Michigan, Ann Arbor, Mich.

[21] **Appl. No.:** 08/896,449

[22] **Filed:** Jul. 18, 1997

Related U.S. Application Data

[60] **Provisional application No.** 60/020,998, Jul. 19, 1996.

[51] **Int. Cl.⁷** C07H 21/04; C12Q 1/68; C12P 19/34

[52] **U.S. Cl.** 435/6; 435/6; 435/91.1; 435/91.2; 435/325; 536/22.1; 536/23.5; 536/24.31; 536/24.33

[58] **Field of Search** 536/22.1, 23.5, 536/24.31, 24.33; 435/325, 252.3, 6, 91.1, 91.2

[56] **References Cited****PUBLICATIONS**

Avgeris, S. et al., "Plasma von Willebrand Factor Concentration and Thyroid Function in Dogs," *JAVMA* 196:921-92 (1990).

Bakhshi, M.R. et al., "Sequencing of the Primary Adhesion Domain of Bovine von Willebrand Factor," *Biochem. Biophys. Acta* 1132:325-328 (1992).

Benson, R.E. et al., "Efficiency and Precision of Electroimmunoassay for Canine Factor VIII-Related Antigen," *Am. J. Vet. Res.* 44:399-403 (1983).

Bergenheim, N.C.H. et al., "Mutation Creates an Open Reading Frame within the 5' Untranslated Region of Macaque Erythrocyte Carbonic Anhydrase (CA) I mRNA that Suppresses CA I Expression and Supports the Scanning Model for Translation," *PNAS (USA)* 89:8789-8802 (1992).

Bloom, A.L., "Von Willebrand Factor: Clinical Features of Inherited and Acquired Disorders," *Mayo Clin. Proc.* 66:743-751 (1991).

Bonthron, D. et al., "Nucleotide Sequence of Pre-Pro-von Willebrand Factor cDNA," *Nucleic Acids Res.* 14:7125-7127 (1986).

Brinkhous, K.M. et al., "Pathophysiology of Platelet-Aggregating von Willebrand Factor: Applications of the Venom Coagglutinin vWF Assay," *Ann. New York Acad. Sci.* 370:191-204 (1981).

Brooks, M., "Clinical Features of Canine von Willebrand's Disease," *Proc. 9th ACVIM Forum* pp. 89-91 (1991).

Brooks, M., "Management of Canine von Willebrand's Disease," *Probl. In Vet. Med.* 4:636-646 (1992).

Brooks, M., et al., "Epidemiologic Features of von Willebrand's Disease in Doberman Pinschers, Scottish Terriers, and Shetland Sheepdogs: 260 Cases (1984-1988)," *JAVMA* 200:1123-1127 (1992).

Dodds, W.J., "Von Willebrand's Disease in Dogs," *Mod. Vet. Pract.* 681-686 (1984).

Ginsburg, D. et al., "Molecular Genetics of von Willebrand Disease," *Blood* 79:2507-2519 (1992).

Janel, N. et al., "Comparison of the 5'-Flanking Sequences of the Human and Bovine von Willebrand Factor-Encoding Genes Reveals Alternation of Highly Homologous Domains with Species-Specific Alu-Type Repeats," *Gene* 167:291-295 (1995).

Johnson, G.S. et al., "A Bleeding Disease (von Willebrand's Disease) in a Chesapeake Bay Retriever," *JAVMA* 176:1261-1263 (1980).

Kraus, K.H. et al., "Effect of Desmopressin Acetate on Bleeding Times and Plasma von Willebrand Factor in Doberman Pinscher Dogs with von Willebrand's Disease," *Vet. Surg.* 18:103-109 (1989).

Lankhof, H. et al., "Role of the Glycoprotein Ib-Binding A1 Repeat and the RGD Sequence in Platelet Adhesion to Human Recombinant von Willebrand Factor," *Blood* 86:1035-1042 (1995).

Lavergne, J.M. et al., "Primary Structure of the Factor VIII Binding Domain of Human, Porcine and Rabbit von Willebrand Factor," *Biochem. Biophys. Res. Commun.* 194:1019-1024 (1993).

Mancuso, D.J. et al., "Human von Willebrand Factor Gene and Pseudogene: Structural Analysis and Differentiation by Polymerase Chain Reaction," *Biochemistry* 30:253-269 (1991).

Mancuso, D.J. et al., "1576 An Homologous Canine von Willebrand and Factor Binding Domain for Glycoprotein Ib," *Thromb Haemost* 69:980 (1993).

Maniatis, T., et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring NY, (1982), at pp. 387-389.

Mansell, P.D. et al., "Changes in Factor VIII Activity and von Willebrand Factor Antigen Concentration with Age in Dogs," *Br. Vet. J.* 148:329-337 (1992).

Meyer, D. et al., "von Willebrand Factor: Structure and Function," *Throm. Haemostasis* 70:99-104 (1993).

O'Brien, P.J. et al., "Use of a DNA-Based Test for the Mutation Associated with Porcine Stress Syndrome (Malignant Hyperthermia) in 10,000 Breeding Swine," *JAVMA* 203:842-851 (1993).

Pancieria, D.L. et al., "Plasma von Willebrand Factor Antigen Concentration in Dogs with Hypothyroidism," *JAVMA* 205:1550-1553 (1994).

Porter, C.A. et al., "Evidence of Mammalian Phylogeny from Sequences of Exon 28 of the von Willebrand Factor Gene," *Mol Phylogenet Evol* 5:89-101 (1996).

(List continued on next page.)

Primary Examiner—Kenneth R. Horlick

Assistant Examiner—Joyce Tung

Attorney, Agent, or Firm—Harness, Dickey & Pierce, P.L.C.

[57]

ABSTRACT

The complete sequence of the canine von Willebrand Factor cDNA and deduced amino acid sequence is provided. The mutation which causes von Willebrand's Disease in Scottish Terriers, a single base deletion in exon 4, has also been determined. Methods for detecting carriers of the defective vWF gene are also provided.

31 Claims, 9 Drawing Sheets

6,040,143

Page 2

PUBLICATIONS

- Read, M.S. et al., "Venom Coagglutinin for Detection of von Willebrand Factor Activity in Animal Plasmas," *J. Lab. Clin. Med.* 101:74-82 (1983).
- Richards, B. et al., "Multiplex PCR Amplification from the CFTR Gene Using DNA Prepared from Buccal Brushes/Swabs," *Human Molecular Genetics* 2:159-163 (1992).
- Rosborough, T.K. et al., "Measurement of Canine von Willebrand Factor Using Ristocetin and Polybrene," *J. Lab. Clin. Med.* 96:47-56 (1980).
- Rudolph, J.A. et al., "Periodic Paralysis in Quarter Horses: a Sodium Channel Mutation Disseminated by Selective Breeding," *Nat. Genet.* 2:144-147 (1992).
- Ruggeri, Z.M., et al., "von Willebrand Factor," *FASEB J.* 7:308-316 (1993).
- Sadler, J.E. et al., "Commentary: A New Classification for von Willebrand Disease," *Blood* 84:676-679 (1994).
- Sambrook, J. et al., "Identification of cDNA Clones of Interest," *Molecular Cloning: A Laboratory Manual*, Second Edition, vol. 2, Cold Spring Harbor Laboratory Press, Cold Spring, NY at pp. 8.46-8.47 (1989).
- Shibuya, H. et al., "A Polymorphic (AGGATT)_n Tandem Repeat in an Intron of the Canine von Willebrand Factor Gene," *Anim. Genet.* 25:122 (1994).
- Shuster, D.E. et al., "Identification and Prevalence of a Genetic Defect that Causes Leukocyte Adhesion Deficiency in Holstein Cattle," *PNAS (USA)* 89:9225-9229 (1992).
- Slappendel, R.J., "von Willebrand's Disease in Dutch Kooiker Dogs," *Vet-Q* 17:S21-S22 (1995).
- Stirling, Y. et al., "Haemostasis in Normal Pregnancy," *Thromb Haemostasis* 52:176-182 (1984).
- Stokol, T. et al., "Stability of von Willebrand Factor and Factor VIII in Canine Cryoprecipitate Under Various Conditions of Storage," *Res. Vet. Sci.* 59:152-155 (1995).
- Strauss, H.S. et al., "Elevation of Factor VIII (Antihemophilic Factor) During pregnancy in Normal Persons and in a Patient with von Willebrand's Disease," *New Eng. J. Med.* 269:1251-1252 (1963).
- Turrentine, M.A., et al., "Plasma from Donor Dogs, Pretreated with DDAVP, Transfused into a German Shorthair Pointer with Type II von Willebrand's Disease," *Vet. Clin. North Am. Small Anim. Pract.* 18:275 (1988).
- Venta, P.J. et al., "Gene-Specific Universal Mammalian Sequence-Tagged Sites: Application to the Canine Genome" *Biochem. Genet.* 34:321-341 (1996).
- Verweij, C.L. et al., Expression of Variant von Willebrand Factor (vWF) cDNA in heterologous Cells: Requirement of the Pro-polypeptide in vWF Multimer Formation, *EMBO J.* 6:2885-2890 (1987).
- Wise, R.J. et al., "The Propeptide of von Willebrand Factor Independently Mediates the Assembly of von Willebrand Multimers," *Cell* 52:229-236 (1988).

U.S. Patent

Mar. 21, 2000

Sheet 1 of 9

6,040,143

FIGURE 1A

```

1  CATTAAAGG TCCTGGCTGG GAGCTTTTTT TTGGGACCAG CACTCCATGT TCAAGGGCAA
61 ACAGGGGCCA ATTAGGATCA ATCTTTTTC TTTCTTTTTT TAAAAAATAA AATTCTTCCC
121 ACTTTGCACA CGGACAGTAG TACATACCAG TAGCTCTCTG CGAGGACGGT GATCACTAAT
181 CATTCTCCTT GCTTCGTGGC AGATGAGTCC TACCAGACTT GTGAGGGTGC TGCTGGCTCT
241 GGCCCTCATC TTGCCAGGGA AACTTTGTAC AAAAGGGACT GTTGAAGGT CATCGATGGC
301 CCGATGTAGC CTTCTCGGAG GTGACTTCAT CAACACCTTT GATGAGAGCA TGTACAGCTT
361 TGCGGGAGAT TGCAGTTACC TCCTGGCTGG GGACTGCCAG GAACACTCCA TCTCACTTAT
421 CGGGGGTTTC CAAAATGACA AAAGAGTGAG CCTCTCCGTG TATCTCGGAG AATTTTTCGA
481 CATTCAATTG TTTGTCAATG GTACCATGCT GCAGGGGACC CAAAGCATCT CCATGCCCTA
541 CGCCTCCAAT GGGCTGTATC TAGAGGCCGA GGCTGGCTAC TACAAGCTGT CCAGTGAGGC
601 CTACGGCTTT GTGGCCAGAA TTGATGGCAA TGGCAACTTT CAAGTCCTG TGTCAGACAG
661 ATACTTCAAC AAGACCTGTG GGCTGTGTGG CAACTTTAAT ATCTTTGCTG AGGATGACTT
721 CAAGACTCAA GAAGGGACGT TGACTTCGGA CCCCTATGAC TTTGCCAACT CCTGGGCCCT
781 GAGCAGTGGG GAACAACGGT GCAAACGGGT GTCCCCTCCC AGCAGCCCAT GCAATGTCTC
841 CTCTGATGAA GTGCAGCAGG TCCTGTGGGA GCAGTGCCAG CTCCTGAAGA GTGCCTCGGT
901 GTTTGCCCGC TGCCACCCGC TGGTGGACCC TGAGCCTTTT GTCGCCCTGT GTGAAAGGAC
961 TCTGTGCACC TGTGTCCAGG GGATGGAGTG CCCTTGTGCG GTCCCTCTGG AGTACGCCCG
1021 GGCTGTGCC CAGCAGGGGA TTGTCTTGTA CGGCTGGACC GACCACAGCG TCTGCCGACC
1081 AGCATGCCCT GCTGGCATGG AGTACAAGGA GTGCGTGTCC CCTTGCACCA GAACCTGCCA
1141 GAGCCTTCAT GTCAAAGAAG TGTGTACGGA GCAATGTGTA GATGGCTGCA GCTGCCCCGA
1201 GGGCCAGCTC CTGGATGAAG GCCACTGCGT GGGAGTGTCT GAGTGTTCCT GTGTGCATGC
1261 TGGGCAACGG TACCCTCCGG GCGCCTCCCT CTTACAGGAC TGCCACACCT GCATTTGCCG
1321 AAATAGCCTG TGGATCTGCA GCAATGAAGA ATGCCAGGC GAGTGTCTGG TCACAGGACA
1381 GTCCCACTTC AAGAGCTTCG ACAACAGGTA CTTCACTTC AGTGGGGTCT GCCACTACCT
1441 GCTGGCCCAG GACTGCCAGG ACCACACATT CTCTGTTGTC ATAGAGACTG TCCAGTGTGC
1501 CGATGACCTG GATGCTGTCT GCACCCGCTC GGTCAACGTC CGCCTGCCTG GACATCACAA
1561 CAGCCTTGTG AAGCTGAAGA ATGGGGGAGG AGTCTCCATG GATGGCCAGG ATATCCAGAT
1621 TCCTCTCCTG CAAGGTGACC TCCGCATCCA GCACACCGTG ATGGCCTCCG TGCCTCTCAG
1681 CTACGGGGAG GACCTGCAGA TGGATTGGA CGTCCGGGGC AGGCTACTGG TGACGCTGTA
1741 CCCCCTAC GCGGGGAAGA CGTGGGGCCG TGGCGGGAAC TACAACGGCA ACCGGGGGGA
1801 CGACTTCGTG ACGCCCGCAG GCCTGGCGGA GCCCCTGGTG GAGGACTTCG GGAACGCCTG
1861 GAAGCTGCTC GGGGCCTGCG AGAACCTGCA GAAGCAGCAC CGCGATCCCT GCAGCCTCAA
1921 CCCGCGCCAG GCCAGGTTTG CGGAGGAGGC GTGCGCGCTG CTGACGTCTT CGAAGTTCGA
1981 GCTCTGCCAC CGAGCGGTGG GTCCTCAGCC CTACGTGCAG AACTGCCTCT ACGACGTCTG
2041 CTCTGCTCC GACGGCAGAG ACTGTCTTTG CAGCGCCGTG GCCAACTACG CCGGACCGT
2101 GGCCCGGAGG GGCGTGACA TCGCGTGGCG GGAGCCGGGC TTCTGTGCGC TGAGCTGCCC
2161 CCAGGGCCAG GTGTACCTGC AGTGTGGGAC CCCCTGCAAC ATGACCTGTC TCTCCCTCTC
2221 TTACCCGGAG GAGGACTGCA ATGAGGTCTG CTTGGAAAGC TGCTTCTCCC CCCCAGGGCT
2281 GTACCTGGAT GAGAGGGGAG ATTGTGTGCC CAAGGCTCAG TGTCCCTGTT ACTATGATGG
2341 TGAGATCTTT CAGCCCGAAG ACATCTTCTC AGACCATCAC ACCATGTGCT ACTGTGAGGA
2401 TGGCTTCATG CACTGTACCA CAAGTGAGG CCTGGGAAGC CTGCTGCCCA ACCCGGTGCT
2461 CAGCAGCCCC CGGTGTACAC GCAGCAAAAG GAGCCTGTCC TGTGGGCCCC CCATGGTCAA
2521 GTTGTGTGT CCGCTGATA ACCCGAGGGC TGAAGGACTG GAGTGTGCCA AAACCTGCCA
2581 GAACTATGAC CTGCAGTGCA TGAGCACAGG CTGTGTCTCC GGCTGCCTCT GCCCGCAGGG
2641 CATGGTCCGG CATGAAAACA GGTGTGTGGC GCTGGAAAGA TGTCCCTGCT TCCACCAAGG
2701 CCAAGAGTAC GCCCCAGGAG AAACCGTGAA AATTGACTGC AACACTTGTG TCTGTGCGGA
2761 CCGGAAGTGG ACCTGCACAG ACCATGTGTG TGATGCCACT TGCTTGCCA TCGGCATGGC
2821 GCACTACCTC ACCTTCGACG GACTCAAGTA CCTGTCCCT GGGGAGTGCC AGTATGTTCT
2881 GGTGCAGGAT TACTGCGGCA GTAACCTTGG GACCTTACGG ATCCTGGTGG GGAACGAGGG
2941 GTGCAGCTAC CCCTCAGTGA AATGCAAGAA GCGGGTACC ATCCTGGTGG AAGGAGGAGA
3001 GATTGAACAT TTTGATGGGG AGGTGAATGT GAAGAAACCC ATGAAGGATG AGACTCACTT
3061 TGAGGTGGTA GAGTCTGGT AGTACGTCAT TCTGCTGCTG GGCAAGGCAC TCTGTGTGTT
3121 CTGGGACCAC CGCTGAGCA TCTCTGTGAC CCTGAAGCGG ACATACCAGG AGCAGGTGTG

```

U.S. Patent

Mar. 21, 2000

Sheet 2 of 9

6,040,143

FIGURE 1B

```

3181 TGGCCTGTGT GGAATTTTG ATGGCATCCA GAACAATGAT TTCACCAGCA GCAGCCTCCA
3241 AATAGAAGAA GACCCTGTGG ACTTTGGGAA TTCCTGGAAG GTGAACCCGC AGTGTGCCGA
3301 CACCAAGAAA GTACCACTGG ACTCATCCCC TGCCGTCTGC CACAACAACA TCATGAAGCA
3361 GACGATGGTG GATTCTCTCT GCAGGATCCT CACCAGTGAT ATTTTCCAGG ACTGCAACAG
3421 GCTGGTGGAC CCTGAGCCAT TCCTGGACAT TTGCATCTAC GACACTTGCT CCTGTGAGTC
3481 CATGGGGGAC TGCACCTGCT TCTGTGACAC CATTGCTGCT TACGCCCACG TCTGTGCCCCA
3541 GCATGGCAAG GTGGTAGCCT GGAGGACAGC CACATTCTGT CCCAGAATT GCGAGGAGCG
3601 GAATCTCCAC GAGAATGGGT ATGAGTGTGA GTGGCGCTAT AACAGCTGTG CCCCTGCCTG
3661 TCCCATCAGC TGCCAGCACC CCGAGCCACT GGCATGCCCT GTACAGTGTG TTGAAGGTTG
3721 CCATGCGCAC TGCCCTCCAG GGAATTCCT GGATGAGCTT TTGCAGACCT GCATCGACCC
3781 TGAAGACTGT CCTGTGTGTG AGGTGGCTGG TCGTCGCTTG GCCCAGGAA AGAAATCAT
3841 CTTGAACCCC AGTGACCCTG AGCACTGCCA AATTTGTAAT TGTGATGGTG TCAACTTCAC
3901 CTGTAAGGCC TGCAGAGAAC CCGGAAGTGT TGTGGTGCCC CCCACAGATG GCCCATTGG
3961 CTCTACCACC TCGTATGTGG AGGACACGTC GGAGCCGCC CTCCATGACT TCCACTGCAG
4021 CAGGCTTCTG GACCTGGTTT TCCTGCTGGA TGGCTCCTCC AAGCTGTCTG AGGACGAGTT
4081 TGAAGTGCTG AAGGTCTTTG TGGTGGGTAT GATGGAGCAT CTGCACATCT CCCAGAAGCG
4141 GATCCCGGTG GCTGTGGTGG AGTACCACGA CGGCTCCAC GCCTACATCG AGCTCAAGGA
4201 CCGGAAGCGA CCCTCAGAGC TGCGGCGCAT CACCAGCCAG GTGAAGTACG CGGGCAGCGA
4261 GGTGGCCTCC ACCAGTGAGG TCTTAAAGTA CACGCTGTTC CAGATCTTTG GCAAGATCGA
4321 CCGCCCGGAA GCGTCTCGCA TTGCCCTGCT CCTGATGGCC AGCCAGGAGC CCTCAAGGCT
4381 GGCCCGGAAT TTGGTCCGCT ATGTGCAGGG CCTGAAGAAG AAGAAAGTCA TTGTCATCCC
4441 TGTGGGCATC GGGCCCCACG CCAGCCTTAA GCAGATCCAC CTCATAGAGA AGCAGGCCCC
4501 TGAGAACAAG GCCTTTGTGT TCAGTGGTGT GGATGAGTTG GAGCAGCGAA GGGATGAGAT
4561 TATCAACTAC CTCTGTGACC TTGCCCCCGA AGCACCTGCC CCTACTCAGC ACCCCCCAAT
4621 GGCCCAGGTC ACGGTGGGTT CGGAGCTGTT GGGGGTTTCA TCTCCAGGAC CCAAAGGAA
4681 CTCCATGGTC CTGGATGTGG TGTTTGTCTT GGAAGGGTCA GACAAATTG GTGAGGCCAA
4741 CTTTAAACAA AGCAGGGAGT TCATGGAGGA GGTGATTGAG CGGATGGAGC TGGGCCAGGA
4801 CAGGATCCAC GTCACAGTGC TGCAGTACTC GTACATGGTG ACCGTGGAGT ACACCTTCAG
4861 CGAGGCGCAG TCCAAGGGCG AGGTCTTACA GCAGGTGCGG GATATCCGAT ACCGGGGTGG
4921 CAACAGGACC AACACTGGAC TGGCCCTGCA ATACCTGTCC GAACACAGCT TCTCGGTCAG
4981 CCAGGGGGAC CGGGAGCAGG TACCTAACCT GGTCTACATG GTCACAGGAA ACCCCGCTTC
5041 TGATGAGATC AAGCGGATGC CTGGAGACAT CCAGGTGGTG CCCATCGGGG TGGGTCCACA
5101 TGCCAATGTG CAGGAGCTGG AGAAGATTGG CTGGCCCAAT GCCCCCATCC TCATCCATGA
5161 CTTTGAGATG CTCCCTCGAG AGGCTCCTGA TCTGGTGCTA CAGAGGTGCT GCTCTGGAGA
5221 GGGGCTGCAG ATCCCCACCC TCTCCCCAC CCCAGATTGC AGCCAGCCCC TGGATGTGGT
5281 CCTCCTCTG GATGGCTCTT CCAGCATTC AGCTTCTTAC TTTGATGAAA TGAAGAGCTT
5341 CACCAAGGCT TTTATTTCAA GAGCTAATAT AGGGCCCCG CTCACTCAAG TGTGGTGTCT
5401 GCAATATGGA AGCATCACC CTATCGATGT GCCTTGGAAT GTAGCCTATG AGAAAGTCCA
5461 TTTACTGAGC CTTGTGGACC TCATGCAGCA GGAGGGAGGC CCCAGCGAAA TTGGGGATGC
5521 TTTGAGCTTT GCCGTGCGAT ATGTCACCTC AGAAGTCCAT GGTGCCAGGC CCGGAGCCTC
5581 GAAAGCGGTG GTTATCCTAG TCACAGATGT CTCCGTGGAT TCAGTGGATG CTGCAGCCGA
5641 GGCCGCCAGA TCCAACCGAG TGACAGTGT CCTCCATTGGA ATCGGGGATC GGTACAGTGA
5701 GGCCCAGCTG AGCAGCTTGG CAGGCCCAA GGCTGGCTCC AATATGGTAA GGCTCCAGCG
5761 AATTGAAGAC CTCCCCACCG TGGCCACCCT GGGAAATTCC TTCTTCCACA AGCTGTGCTC
5821 TGGGTTTGAT AGAGTTTTCG TGGATGAGGA TGGGAATGAG AAGAGGCCCG GGGATGTCTG
5881 GACCTTGCCA GACCAAGTGC ACACAGTGAC TTGCCTGCCA GATGGCCAGA CCTTGCTGAA
5941 GAGTCATCGG GTCAACTGTG ACCGGGGGCC AAGGCCTTCG TGCCCCAATG GCCAGCCCCC
6001 TCTCAGGGTA GAGGAGACCT GTGGCTGCCG CTGGACCTGT CCTGTGTGT GCATGGGCAG
6061 CTCTACCCGG CACATCGTGA CCTTTGATGG GCAGAAATTC AAGCTGACTG GCAGCTGTTT
6121 GTATGTCCTA TTTCAAACA AGGAGCAGGA CCTGGAGGTG ATTCTCCAGA ATGGTGCCTG
6181 CAGCCCTGGG GCGAAGGAGA CCTGCATGAA ATCCATTGAG GTGAAGCATG ACCGCCCTC
6241 AGTTGAGCTC CACAGTGACA TGCAGATGAC AGTGAATGGG AGACTAGTCT CCATCCCATA
6301 TGTGGGTGGA GACATGGAAG TCAATGTTTA TGGGACCATC ATGTATGAG TCAGATTCAA
6361 CATCTTGGC CACATCTTCA CATTACCCCC CAAAACAAT GAGTTCCAGC TGCAGCTCAG

```


FIGURE 1C

```

6421 CCCCAGGACC TTTGCTTCGA AGACATATGG TCTCTGTGGG ATCTGTGATG AGAACGGAGC
6481 CAATGACTTC ATTCTGAGGG ATGGGACAGT CACCACAGAC TGGAAAGCAC TCATCCAGGA
6541 ATGGACCGTA CAGCAGCTTG GGAAGACATC CCAGCCTGTC CATGAGGAGC AGTGTCTGT
6601 CTCCGAATTC TTCCACTGCC AGGTCCTCCT CTCAGAATTG TTTGCCGAGT GCCACAAGGT
6661 CCTCGCTCCA GCCACCTTTT ATGCCATGTG CCAGCCCGAC AGTTGCCACC CGAAGAAAGT
6721 GTGTGAGGCG ATTGCCTTGT ATGCCACCT CTGTCGGACC AAAGGGGTCT GTGTGGACTG
6781 GAGGAGGGCC AATTTCTGTG CTATGTCATG TCCACCATCC CTGGTGTACA ACCACTGTGA
6841 GCATGGCTGC CCTCGGCTCT GTGAAGGCAA TACAAGCTCC TGTGGGGACC AACCTCGGA
6901 AGGCTGCTTC TGCCCCCAA ACCAAGTCAT GCTGGAAGGT AGCTGTGTCC CCGAGGAGGC
6961 CTGTACCCAG TGCATCAGCG AGGATGGAGT CCGGCACCAG TTCCTGGAAG CCTGGGTCCC
7021 AGCCACACAG CCTTGCCAGA TCTGCACGTG CCTCAGTGGG CGGAAGGTCA ACTGTACGTT
7081 GCAGCCCTGC CCCACAGCCA AAGCTCCCAC CTGTGGCCCG TGTGAAGTGG CCCGCTCCG
7141 CCAGAACGCA GTGCAGTGCT GCCCGGAGTA CGAGTGTGTG TGTGACCTGG TGAGCTGTGA
7201 CCTGCCCCCG GTGCCTCCCT GCGAAGATGG CCTCCAGATG ACCCTGACCA ATCTGGCGA
7261 GTGCAGACCC AACTTCACCT GTGCCTGCAG GAAGGATGAA TGCAGACGGG AGTCCCCGCC
7321 CTCTTGTCCT CCGCACCGGA CGCCGGCCCT TCGGAAGACT CAGTGTGTGT ATGAGTATGA
7381 GTGTGCATGC AACTGTGTCA ACTCCACGCT GAGCTGCCCG CTTGGGTACC TGGCCTCGGC
7441 TGTACCAAC GACTGTGGCT GCACCACAAC AACCTGCTTC CCTGACAAGG TGTGTGTCCA
7501 CCGAGGCACC ATCTACCTTG TGGGCCAGTT CTGGGAGGAG GCCTGTGACG TGTGCACCTG
7561 CACGGACTTG GAGGACTCTG TGATGGGCTT GCGTGTGGCC CAGTGTCTCC AGAAGCCCTG
7621 TGAGGACAAC TGCCCTGTCA GCTTCACTTA TGTCTTCAT GAAGGCGAGT GCTGTGAAG
7681 GTGTCTGCCA TCTGCCTGTG AGGTGGTCAC TGGTTCACCA CGGGGCGACG CCCAGTCTCA
7741 CTGGAAGAAT GTTGGCTCTC ACTGGGCCCTC CCCTGACAAC CCCTGCCTCA TCAATGAGTG
7801 TGTCCGAGTG AAGGAAGAGG TCTTTGTGCA ACAGAGGAAT GTCTCCTGCC CCCAGCTGAA
7861 TGTCCCCACC TGCCCCACGG GCTTCCAGCT GAGCTGTAAG ACCTCAGAGT GTTGTCCAC
7921 CTGTCACTGC GAGCCCTTGG AGGCCTGCTT GCTCAATGGT ACCATCATTE GGCCGGGAA
7981 AAGTCTGATG ATTGATGTGT GTACAACCTG CCGCTGCACC GTGCCGGTGG GAGTCATCTC
8041 TGGATTCAAG CTGGAGGGCA GGAAGACCAC CTGTGAGGCA TGCCCCCTGG GTTATAAGGA
8101 AGAGAAGAAC CAAGGTGAAT GCTGTGGGAG ATGTCTGCCT ATAGCTTGCA CCATTAGCT
8161 AAGAGGAGGA CAGATCATGA CACTGAAGCG TGATGAGACT ATCCAGGATG GCTGTGACAG
8221 TCACTTCTGC AAGGTCAATG AAAGAGGAGA GTACATCTGG GAGAAGAGAG TCACGGGTTG
8281 CCCACCTTTC GATGAACACA AGTGTCTGGC TGAGGGAGGA AAAATCATGA AAATTCAGG
8341 CACCTGCTGT GACACATGTG AGGAGCCAGA ATGCAAGGAT ATCATTGCCA AGCTGCAGCG
8401 TGTCAAAGTG GGAGACTGTA AGTCTGAAGA GGAAGTGGAC ATTCATTACT GTGAGGGTAA
8461 ATGTGCCAGC AAAGCCGTGT ACTCCATCCA CATGGAGGAT GTGCAGGACC AGTGCTCCTG
8521 CTGCTCGCCC ACCCAGACGG AGCCCATGCA GGTGGCCCTG CGCTGCACCA ATGGCTCCTT
8581 CATCTACCAT GAGATCCTCA ATGCCATCGA ATGCAGGTGT TCCCCAGGA AGTGCAGCAA
8641 GTGAGGCCAC TGCCCTGGATG CTACTGTGCG CTGCCTTACC CGACCTCACT GGACTGGCCA
8701 GAGTGCTGCT CAGTCCTCCT CAGTCCTCCT CCTGCTCTGC TCTTGTGCTT CCTGATCCCA
8761 CAATAAAGGT CAATCTTCA CCTTGAAAAA AAAAAAAAAA AA

```

U.S. Patent

Mar. 21, 2000

Sheet 4 of 9

6,040,143

Human	MIPARFAGVLLALALILPGTLCAGETRGRSSTARCSLFGSDFVNTFDGSMYSFAGYCSYL	60
Dog	-S-T-LVR-----K-TK-V---M---L-G-I---E-----D---	
Human	LAGGCQKRSFSIIGDFQNGKRVSLSVYLGEFFDIHLFVNGTVTQGDQRVSMYPYASKGLYL	120
Dog	---D-EH-I-L-G---D-----ML--T-SI-----N----	
Human	ETEAGYYKLSGEAYGFVARIDGSGNFQVLLSDRYFNKTCGLCGNFNIFAEDDFMTQEGTL	180
Dog	-A-----S-----N-----K-----	
Human	TSDPYDFANSWALSSGEQWCERASPPSSSCNISSGEMQKGLWEQCQLLKSTSVFARCHPL	240
Dog	-----R-K-V---P--V--D-V-QV-----A-----	
Human	VDPEPFVALCEKTLCECAGGLECACPALLEYARTCAQEGMVLYGWTDSACSPPVCPAGME	300
Dog	-----R--T-VQ-M--P-AV-----A--Q-I-----V-R-A-----	
Human	YRQCVSPCARTCQSLHINEMCQERCVDGCSCPEGQLLDEGLCVESTPCVHSGKRYPPG	360
Dog	-KE-----T-----VK-V---Q-----H--G-A--S--A-Q-----	
Human	TSLSRDCNTCICRNSQWICSNEECPCGECLVTGQSHFKSFDNRYFTFSGICQYLLARDCQD	420
Dog	A--LQ--H-----L-----V-H---Q---	
Human	HSFSIVIETVQCADDRDAVCTRSVTVRLPGLHNSLVKLKHGAGVAMDGDVQLPLLKGD	480
Dog	-T--V-----L-----H-----N-G--S-----I-I---Q---	
Human	RIQHTVTASVRLSYGEDLQMDWDGRGRLLVKLSPVYAGKTCGLCGNYNGNQDDFLTPSG	540
Dog	-----M-----S-V-----T-Y-A-----RG-----R---V--A-	
Human	LAEPRVEDFGNAWKLHGDCQDLQKHSDPCALNPRMTRFSEECACAVLTSPTFEACHRAVS	600
Dog	---L-----L-A-EN---R---S---QA--A---L---SK--P---G	
Human	PLPYLRNCRYDVCSCSDGRECLCGALASYAAACAGRGVRVAWREPGRCNELNCPKGQVYLQ	660
Dog	-Q--VQ--L-----D---S-V-N---V-R--HI-----F-A-S--Q-----	
Human	CGTPCNLTCSRSLSPDEECNEACLEGCFPPGLYMDERGLCVPKAQCPCYDGEIFQPED	720
Dog	-----M--L-----E-D--V--S--S-----L-----	
Human	IFSDHHTMCYCEDGFMHCTMSGVPGSLLPDAVLSSPLSHRSKRSLSCRPPMVKLVCPADN	780
Dog	-----T--GL-----NP-----RC-----	
Human	LRAEGLECTKTCQNYDLECMGCVSGCLCPPGMVRHENRCVALERCPCFHQKEYAPGE	840
Dog	P-----A-----Q---T-----Q-----	
Human	TVKIGCNTCVCRDRKWNCTDHVCDATCSTIGMAHYLTFDGLKYLFPGEQYVLVQDYCGS	900
Dog	---D-----T-----A-----	
Human	NPGETFRILVGNKGCSHPSVKCKKRVTLVEGGEIELFDGEVNVKRPMDETHFEVVESGR	960
Dog	---L-----E--Y-----K-----Q-----	
Human	YIILLGKALSVVWDRHLSISVVLKQTYQEKVCGLCGNFDGIQNNDLTSSNLQVEEDPVD	1020
Dog	-V-----HR---T--R---Q-----F--S--I-----	
Human	FGNSWKVSSQCADTRKVPLDSSPATCHNNIMQTMVDSSCRILTSDVFQDCNKLVDPEPY	1080
Dog	-----NP-----K-----V-----I-----R-----F	

FIGURE 2A

U.S. Patent

Mar. 21, 2000

Sheet 5 of 9

6,040,143

Human	LDVCIYDTCSCESIGDCACFCDTIAAYAHVCAQHKGKVVWRTATLCPQSCERNLRENGY	1140
Dog	--I-----T-----A-----F-----N-----H-----	
Human	ECEWRYNSCAPACQVTCQHPEPLACPVQCVEGCHAHCPPGKILDELLQTCVDPEDCPVCE	1200
Dog	-----PI-----I-----	
Human	VAGRRFASGKKVTLNPSDPEHCQICHCDVVNLTCEACQEPGGLVVPPTDAPVSPTTLYVE	1260
Dog	-----L-P--II-----N--G--F--K--R--SV-----G-IGS--S---	
Human	DISEPPLHDFYCSRLLDLVFLLDGSSRLSEAEFEVLKAFVVDMMERLRISQKWVRVAVVE	1320
Dog	-T-----H-----K--D-----V--G--H-H--RI-----	
Human	YHDGSHAYIGLKDRKRPSELRRIRASQVKYAGSQVASTSEVLKYTLFQIFSKIDRPEASRI	1380
Dog	-----E-----T-----E-----G-----	
Human	ALLLMAEQEPQRMRSNFVRYVQGLKKKKVIVIPVGIGPHANLKQIRLIEKQAPENKAFVL	1440
Dog	-----S-LA--L-----S--H-----F	
Human	SSVDELEQQRDEIVSYLCDLAPEAPPPTLPPHMAQVTVGPGLLGVTLGPKRNSMVLDDVA	1500
Dog	-G-----R--IN-----A--QH-P-----SE-----SP-----V	
Human	FVLEGS DKIGEADFNRSKEFMEEVIQRMVGDQDSIHVTVLQYSYMTVEYPFSEASQSGD	1560
Dog	-----N--K-R-----R-----T-----E	
Human	ILQVRVEIRYQGGNRTNTGLALRYLSDHSFLVSQGDREQAPNLVYMTGNPASDEIKRLP	1620
Dog	V--Q--D--R-----Q--E--S-----V-----M-	
Human	GDIQVVPIGVGPANVQELERIGWPNAPILIQDFETLPREAPDLVLQRCCSGEGLQIPTL	1680
Dog	-----H-----K-----H--M-----	
Human	SPAPDCSQPLDVILLDGGSSFPASYFDEMKSFAKAFISKANIGPRLTQVSVLQYGSITT	1740
Dog	--T-----V-----I-----T-----R-----	
Human	IDVPWNVPEKAHLLSLVDVMQREGGPSQIGDALGFAVRYLTSEMHGARGASKAVVILV	1800
Dog	-----AY--V-----L--Q-----E--S-----V--V-----	
Human	TDVSVDSVDAAADAARSNRVTVPFPIGIGDRYDAAQLRILAGPAGDSNVVKLQRIEDLPTM	1860
Dog	-----E-----SE--SS--KAG--M-R-----V	
Human	VTLGNSFLHKLCSGFVRICMDEEDGNEKRPBGDVWTLPDQCHTVTCQPDGQTLKTHRNVCD	1920
Dog	A-----F-----D-V-V-----L-----S-----	
Human	RGLRPSCPNSSQSPVKVEETCGCRWTCPCVCTGSSTRHIVTFDQGNFKLTGSCSYVLFQNK	1980
Dog	--P-----G-P-LR-----M-----	
Human	EQDLEVILHNGACSPGARQGCMSIEVKHSALSVELHSDMEVTVNGRLVSVYPYVGGNMEV	2040
Dog	-----Q-----KET-----DG-----QM-----I-----D---	
Human	NVYGAIMHEVRFNHLGHIFTFTPNNEFQLQLSPKTFASKTYGLCGICDENGANDFMLRD	2100
Dog	----T--Y-----R-----I---	
Human	GTVTTDWKTILVQEWTVQRPQTCQPILEEQCLVPDSSHCQVLLLPFAECHKVLAPATFY	2160
Dog	-----A-I-----QL-K-S--VH--P-SEFF-----SE-----	

FIGURE 2B

U.S. Patent

Mar. 21, 2000

Sheet 6 of 9

6,040,143

Human	AICQQDSCHQEQVCEVIASIAHLCRTNGVCVDWRTPDFCAMSPPSLVYNHCEHGCPRHC	2220
Dog	-M--P-----PKK---A--L-----K-----RAN-----L-	
Human	DGNVSSCGDHPSEGCFPPDKVMLEGSCVPPEACTQCIGEDGVQHGFLEAWVPDHQPCQI	2280
Dog	E--T-----Q-----NQ-----S-----R-----T--A-----	
Human	CTCLSGRKVNCTTQPCPTAKAPTCGLCEVARLRQNADQCCPEYECVCDPVSCDLPPVPHC	2340
Dog	-----L-----P-----V-----L-----P-	
Human	ERGLQPTLTNPGECPNFTCACRKEECKRVSPSPCPPHRLPTLRKTQCCDEYECACNCVN	2400
Dog	-D---M-----D--R-E-----T-A-----	
Human	STVSCPLGYLASTATNDCGCTTTTCLPDKVCVHRSTIYPVGQFWEEGCDVCTCTDMEDAV	2460
Dog	-----AV-----F-----G-----A-----L--S-	
Human	MGLRVAQCSQKPCEDSCRSGFYTVLHEGECCGRCLPSACEVVTGSGRGRDSQSSWKSQVGSQ	2520
Dog	-----N-L-----A--H--N--H	
Human	WASPENPCLINECVRVKEEVFIQQRNVSCPQLEVFPVCPSPGFQLSCKTSACCPSCRCERME	2580
Dog	----D-----V-----N--T--T-----E---T-H--PL-	
Human	ACMLNGTVIGPGKTVMIDVCTTCRCMVQVGVISGFKLECRKTTTCNCPPLGYKEENNTGEC	2640
Dog	--L---I-----SL-----T-P-----G-----EA-----K-Q---	
Human	CGRCLPTACTIQLRGGQIMTLKRDETLQDGCDFHCKVNERGEYFWEKRVTCPPPFDEHK	2700
Dog	-----I-----I-----S-----I-----	
Human	CLAEGGKIMKIPGTCCDTCEEPECNDITARLQYVKVGSCKSEVEVDIHYCQKGCASKAMY	2760
Dog	-----K--I-K--R---D---E-----E-----V-	
Human	SIDINDVQDQCSCSPTRTEPMQVALHCTNGSVVYHEVLNAMECKCSPRKCSK	2813
Dog	--HME-----Q-----R-----LI---I---I--R-----	

FIGURE 2C



U.S. Patent

Mar. 21, 2000

Sheet 7 of 9

6,040,143

Clear *Carrier* *Affected*
GATC *GATC* *GATC*



U.S. Patent

Mar. 21, 2000

Sheet 8 of 9

6,040,143

exon 4 AAATGACAAAAGAGTGAGCCGGTC*

AGGGGGTTTCCAAAATGACAAAAGAGTGAGCCTCTCCGTGTATCTCGGAGAATTTTTCGA
G G F Q N D K R V S L S V Y L G E F F D

CATTCATTTGTTTGTCAATGGTACCATGCTGCAGGGGACCCAAAAGGTAAGTCAGAAGCCC
I H L F V N G T M L Q G T Q R

GAATGTTCAAGTTAATATGGACCCTGGGGATCACTTTGCAACCCCCTTGTTTTTTCAGAT

GAGGGAGCCGGGGCCAGAGACAGGAAGTAAATGTGCCCAGGGAAAGTGAGTGGCAGGAC

TGGGTGAAAGCCCCATATCCCGACTCCTGGTCAAGGAGACTTTGCACCAAGGTCCCAGCC
3' - GGGCTGGCGACCAGTTCCTCTGAA - 5'

CTGGAGCATGGGGTTGGGGTTGGAAGGTGGAGGGACATGGAGGAAATGCATGAGAAGCAC

exon 5

GCTTCCTGAGCTCCTCCTTGTCACCAGCATCTCCATGCCCTACGCCTCCAATGGGC
I S M P Y A S N G

FIGURE 4

U.S. Patent

Mar. 21, 2000

Sheet 9 of 9

6,040,143




FIG. 5.

6,040,143

1

DNA ENCODING VON WILLEBRAND FACTOR AND METHODS OF USE

This application claims benefit of Provisional application Ser. No. 60/020,998, filed Jul. 19, 1996.

FIELD OF THE INVENTION

This invention relates generally to canine von Willebrand factor (vWF), and more particularly, to the gene encoding vWF as well as a genetic defect that causes canine von Willebrand's disease.

BIOLOGICAL DEPOSITS

SEQUENCE	ACCESSION NO.
Canine von Willebrand Factor	AF 099154

BACKGROUND OF THE INVENTION

In both dogs and humans, von willebrand's disease (vWD) is a bleeding disorder of variable severity that results from a quantitative or qualitative defect in von Willebrand factor (vWF) (Ginsburg, D. et al., *Blood* 79:2507-2519 (1992); Ruggeri, Z. M. et al., *FASEB J* 7:308-316 (1993); Dodds, W. J., *Mod Vet Pract* 681-686 (1984); Johnson, G. S. et al., *JAVMA* 176:1261-1263 (1988); Brooks, M., *Probl In Vet Med* 4:636-646 (1992)). This clotting factor has two known functions, stabilization of Factor VIII (hemophilic factor A) in the blood, and aiding the adhesion of platelets to the subendothelium, which allows them to provide hemostasis more effectively. If the factor is missing or defective, the patient, whether human or dog, may bleed severely.

The disease is the most common hereditary bleeding disorder in both species, and is genetically and clinically heterogenous. Three clinical types, called 1, 2, and 3 (formerly I, II, and III; see Sadler, J. E. et al., *Blood* 84:676-679 (1994) for nomenclature changes), have been described. Type 1 vWD is inherited in a dominant, incompletely penetrant fashion. Bleeding appears to be due to the reduced level of vWF rather than a qualitative difference. Although this is the most common form of vWD found in most mammals, and can cause serious bleeding problems, it is generally less severe than the other two types. In addition, a relatively inexpensive vasopressin analog (DDAVP) can help alleviate symptoms (Kraus, K. H. et al., *Vet Surg* 18:103-109 (1989)).

In Type 2 vWD, patients have essentially normal levels of vWF, but the factor is abnormal as determined by specialized tests (Ruggeri, Z. M., et al., *FASEB J* 7:308-316 (1993); Brooks, M., *Probl In Vet Med* 4:636-646 (1992)). This type is also inherited in a dominant fashion and has only rarely been described in dogs (Turrentine, M. A., et al., *Vet Clin North Am Small Anim Pract* 18:275 (1988)).

Type 3 vWD is the most severe form of the disease. It is inherited as an autosomal recessive trait, and affected individuals have no detectable vWF in their blood. Serious bleeding episodes require transfusions of blood or cryoprecipitate to supply the missing vWF. Heterozygous carriers have moderately reduced factor concentrations, but generally appear to have normal hemostasis.

Scottish terriers have Type 3 vWD (Dodds, W. J., *Mod Vet Pract* 681-686 (1984); Johnson, G. S. et al., *JAVMA* 176:1261-1263 (1988)). Homozygotes have no detectable

2

vWF and have a severe bleeding disorder. Heterozygotes have reduced levels of the factor, and are clinically normal (Brooks, M. et al., *JAVMA* 200:1123-1127 (1992)). The prevalence of vWD among Scottish terriers including both heterozygotes and homozygotes has been variously estimated from 27-31% (Stokol, T. et al., *Res. Vet Sci.* 59:152-155 (1995); Brooks, M., *Proc. 9th ACVIM Forum* 89-91 (1991)).

Currently, detection of affected and carrier Scottish terrier dogs is done by vWF antigen testing (Benson, R. E. et al., *Am J Vet Res* 44:399-403 (1983); Stokol, T. et al., *Res. Vet Sci.* 59:152-155 (1995)) or by coagulation assays (Rosborough, T. K. et al., *J. Lab. Clin. Med.* 96:47-56 (1980); Read, M. S. et al., *J. Lab. Clin. Med.* 101:74-82 (1983)). These procedures yield variable results, as the protein-based tests can be influenced by such things as sample collection, sample handling, estrous, pregnancy, vaccination, age, and hypothyroidism (Strauss, H. S. et al., *New Eng J Med* 269:1251-1252 (1963); Bloom, A. L., *Mayo Clin Proc* 66:743-751 (1991); Stirling, Y. et al., *Thromb Haemostasis* 52:176-182 (1984); Mansell, P. D. et al., *Br. Vet. J.* 148:329-337 (1992); Avgeris, S. et al., *JAVMA* 196:921-924 (1990); Panciera, D. P. et al., *JAVMA* 205:1550-1553 (1994)). Thus, for example, a dog that tests within the normal range on one day, can test within the carrier range on another day. It is therefore difficult for breeders to use this information.

It would thus be desirable to provide the nucleic acid sequence encoding canine vWF. It would also be desirable to provide the genetic defect responsible for canine vWD. It would further be desirable to obtain the amino acid sequence of canine vWF. It would also be desirable to provide a method for detecting carriers of the defective vWF gene based on the nucleic acid sequence of the normal and defective vWF gene.

SUMMARY OF THE INVENTION

The present invention provides a novel purified and isolated nucleic acid sequence encoding canine vWF. A nucleic acid sequence containing the mutation that causes vWD in Scottish terriers, a single-base deletion in exon 4, is also provided. The nucleic acid sequences of the present invention may be used in methods for detecting carriers of the mutation that causes vWD. Such methods may be used by breeders to reduce the frequency of the disease-causing allele and the incidence of disease. In addition, the nucleic acid sequence of the canine vWF provided herein may be used to determine the genetic defect that causes vWD in other breeds as well as other species.

Additional objects, advantages, and features of the present invention will become apparent from the following description, taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The various advantages of the present invention will become apparent to one skilled in the art by reading the following specification and by referencing the following drawings in which:

FIGS. 1A-1C is the nucleic acid sequence of the canine von Willebrand factor of the present invention;

FIGS. 2A-2C is a comparison of the human and canine prepro-von Willebrand factor amino acid sequences;

FIG. 3 provides nucleotide sequencing ladders for the von Willebrand's disease mutation region for normal (clear),

6,040,143

3

carrier, and affected Scottish terriers, the sequences being obtained directly from PCR products derived from genomic DNAs in exon 4;

FIG. 4 illustrates the results of a method of the present invention used to detect the Scottish terrier vWD mutation; and

FIG. 5 shows the Scottish terrier pedigree, which in turn illustrates segregation of the mutant and normal vWF alleles.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The cDNA encoding canine von Willebrand Factor (vWF) has been sequenced, and its sequence is set forth in FIGS. 1A-1C and SEQ ID NO: 1. The amino acid sequence corresponding to the cDNA of canine vWF has been subsequently deduced and is set forth in FIGS. 2A-2C and SEQ ID NO: 2. The mutation of the normal vWF gene which causes von Willebrand's Disease (vWD), a deletion at codon 88 of the normal gene resulting in a frameshift, is also provided. The nucleic acid sequences of the present invention may be used in methods for detecting homozygous and heterozygous carriers of the defective vWF gene.

In a preferred method of detecting the presence of the von Willebrand allele in canines, DNA samples are first collected by relatively noninvasive techniques, i.e., DNA samples are obtained with minimal penetration into body tissues of the animals to be tested. Common noninvasive tissue sample collection methods may be used and include withdrawing buccal cells via cheek swabs and withdrawing blood samples. Following isolation of the DNA by standard techniques, PCR is performed on the DNA utilizing pre-designed primers that produce enzyme restriction sites on those DNA samples that harbor the defective gene. Treatment of the amplified DNA with appropriate restriction enzymes such as BsiE I thus allows one to analyze for the presence of the defective allele. One skilled in the art will appreciate that this method may be applied not only to Scottish terriers, but to other breeds such as Shetland sheepdogs and Dutch Kooikers.

Overall, the present invention provides breeders with an accurate, definitive test whereby the undesired vWD gene may be eliminated from breeding lines. The current tests used by breeders are protein-based, and as noted previously, the primary difficulty with this type of test is the variability of results due to a variety of factors. The ultimate result of such variability is that an inordinate number of animals fall into an ambiguous grouping whereby carriers and noncarriers cannot be reliably distinguished. The present invention obviates the inherent limitations of protein-based tests by detecting the genetic mutation which causes vWD. As described in Specific Example 1, the methods of the present invention provide an accurate test for distinguishing noncarriers, homozygous carriers and heterozygous carriers of the defective vWF gene.

It will be appreciated that because the vWF cDNA of the present invention is substantially homologous to vWF cDNA throughout the canine species, the nucleic acid sequences of the present invention may be used to detect DNA mutations in other breeds as well. In addition, the canine vWF sequence presented herein potentially in combination with the established human sequence (Genbank Accession No. X04385, Bonthron, D. et al., *Nucleic Acids Res.* 14:7125-7128 (1986); Mancuso, D. J. et al., *Biochemistry* 30:253-269 (1989); Meyer, D. et al., *Throm Haemostasis* 70:99-104 (1993)), may be used to facilitate sequenc-

4

ing of the vWF gene and genetic defects causing vWD, in other mammalian species e.g., by using cross-species PCR methods known by those skilled in the art.

It is also within the contemplation of this invention that the isolated and purified nucleic acid sequences of the present invention be incorporated into an appropriate recombinant expression vector, e.g., viral or plasmid, which is capable of transforming an appropriate host cell, either eukaryotic (e.g., mammalian) or prokaryotic (e.g., *E. coli*). Such DNA may involve alternate nucleic acid forms, such as cDNA, gDNA, and DNA prepared by partial or total chemical synthesis. The DNA may also be accompanied by additional regulatory elements, such as promoters, operators and regulators, which are necessary and/or may enhance the expression of the vWF gene product. In this way, cells may be induced to over-express the vWF gene, thereby generating desired amounts of the target vWF protein. It is further contemplated that the canine vWF polypeptide sequence of the present invention may be utilized to manufacture canine vWF using standard synthetic methods. One skilled in the art will also note that the defective protein encoded by the defective vWF gene of the present invention may also be of use in formulating a complementary diagnostic test for canine vWD that may provide further data in establishing the presence of the defective allele. Thus, production of the defective vWF polypeptide, either through expression in transformed host cells as described above for the active vWF polypeptide or through chemical synthesis, is also contemplated by the present invention.

The term "gene" as referred herein means a nucleic acid which encodes a protein product. The term "nucleic acid" refers to a linear array of nucleotides and nucleosides, such as genomic DNA, cDNA and DNA prepared by partial or total chemical synthesis from nucleotides. The term "encoding" means that the nucleic acid may be transcribed and translated into the desired polypeptide. "Polypeptide" refers to amino acid sequences which comprise both full-length proteins and fragments thereof. "Mutation" as referred to herein includes any alteration in a nucleic acid sequence including, but not limited to, deletions, substitutions and additions.

As referred to herein, the term "capable of hybridizing under high stringency conditions" means annealing a strand of DNA complementary to the DNA of interest under highly stringent conditions. Likewise, "capable of hybridizing under low stringency conditions" refers to annealing a strand of DNA complementary to the DNA of interest under low stringency conditions. In the present invention, hybridizing under either high or low stringency conditions would involve hybridizing a nucleic acid sequence (e.g., the complementary sequence to SEQ ID NO: 1 or portion thereof), with a second target nucleic acid sequence. "High stringency conditions" for the annealing process may involve, for example, high temperature and/or low salt content, which disfavor hydrogen bonding contacts among mismatched base pairs. "Low stringency conditions" would involve lower temperature, and/or lower salt concentration than that of high stringency conditions. Such conditions allow for two DNA strands to anneal if substantial, though not near complete complementarity exists between the two strands, as is the case among DNA strands that code for the same protein but differ in sequence due to the degeneracy of the genetic code. Appropriate stringency conditions which promote DNA hybridization, for example, 6X SSC at about 45° C., followed by a wash of 2X SSC at 50° C. are known to those skilled in the art or can be found in *Current Protocols in Molecular Biology*, John Wiley & Sons, NY

6,040,143

5

(1989), 6.31–6.3.6. For example, the salt concentration in the wash step can be selected from a low stringency of about 2X SSC at 50° C. to a high stringency of about 0.2X SSC at 50° C. In addition, the temperature in the wash step can be increased from low stringency at room temperature, about 22° C., to high stringency conditions, at about 65° C. Other stringency parameters are described in Maniatis, T., et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring N.Y., (1982), at pp. 387–389; see also Sambrook J. et al., *Molecular Cloning: A Laboratory Manual*, Second Edition, Volume 2, Cold Spring Harbor Laboratory Press, Cold Spring, N.Y. at pp. 8.46–8.47 (1989).

SPECIFIC EXAMPLE 1

Materials And Methods

Isolation of RNA. The source of the RNA was a uterus from a Scottish Terrier affected with vWD (factor level <0.1% and a clinical bleeder), that was surgically removed because of infection. Spleen tissue was obtained from a Doberman Pinscher affected with vWD that died from dilated cardiomyopathy (factor level 7% and a clinical bleeder). Total RNA was extracted from the tissues using Trizol (Life Technologies, Gaithersburg, Md.). The integrity of the RNA was assessed by agarose gel electrophoresis.

Design of PCR primer sets. Primers were designed to a few regions of the gene, where sequences from two species were available (Lavergne, J. M. et al., *Biochem Biophys Res Commun* 194:1019–1024 (1993); Bakhshi, M. R. et al., *Biochem Biophys Acta* 1132:325–328 (1992)). These primers were designed using rules for cross-species' amplifications (Venta et al., "Genes-Specific Universal Mammalian Sequence-Tagged Sites: Application To The Canine Genome" *Biochem. Genet.* (1996) in press). Most of the primers had to be designed to other regions of the gene using the human sequence alone (Mancuso, D. J. et al., *Biochemistry* 30:253–269 (1991)). Good amplification conditions were determined by using human and canine genomic DNAs.

Reverse Transcriptase-PCR. Total RNA was reverse transcribed using random primers (Bergenheim, N. C. H. et al., *PNAS (USA)* 89:8789–8802 (1992)). The cDNA was amplified using the primer sets shown to work on canine genomic DNA.

DNA Sequence Analysis. Amplification products of the predicted sizes were isolated from agarose gels by adsorption onto silica gel particles using the manufacturer's method (Qiagen, Chatsworth, Calif.). Sequences were determined using ³²P-5' end-labeled primers and a cycle sequencing kit (United States Biochemical Corp., Cleveland, Ohio). The sequences of the 5' and 3' untranslated regions were determined after amplification using Marathon™ RACE kits (Clontech, Palo Alto, Calif.). Sequences were aligned using the Eugene software analysis package (Lark Technologies, Houston, Tex.). The sequence of the canine intron four was determined from PCR-amplified genomic DNA.

Design of a Diagnostic Test. PCR mutagenesis was used to create diagnostic and control BsiE I and Sau96 I restriction enzyme sites for the test. Amplification conditions for the test are: 94° C., 1 min, 61° C., 1 min, and 72° C., 1 min, for 50 cycles using cheek swab DNA (Richards, B. et al., *Human Molecular Genetics* 2:159–163 (1992)).

Population Survey. DNA was collected from 87 Scottish terriers from 16 pedigrees. DNA was isolated either from blood using standard procedures (Sambrook, J. et al., Cold

6

Harbor Spring Lab, Cold Harbor Spring N.Y., 2nd Edition, (1989)) or by cheek swab samples (Richards, B. et al., *Human Molecular Genetics* 2:159–163 (1992)). The genetic status of each animal in the survey was determined using the BsiE I test described above.

Results

Comparison of the canine and human sequences. The alignment of the canine and human prepro-von Willebrand Factor amino acid sequences is shown in FIGS. 2A–2C. The location of the Scottish terrier vWD mutation is indicated by the "★". Potential N-glycosylation sites are shown in bold type. The known and postulated integrin binding sites are boxed. Amino acid numbers are shown on the right side of the figure. The human sequence is derived from Genbank accession number X04385 (Bonthron, D. et al., *Nucleic Acids Res.* 14:7125–7128 (1986)).

Overall, 85.1% sequence identity is seen between the prepro-vWF sequences. The pro-region is slightly less conserved than the mature protein (81.4% vs. 87.5%). There were no other noteworthy percentage sequence identity differences seen in other regions of the gene, or between the known repeats contained within the gene (data not shown). Fourteen potential N-linked glycosylation sites are present in the canine sequence, all of which correspond to similar sites contained within the human sequence. The two integrin binding sites identified in the human vWF protein sequence (Lankhof, H. et al., *Blood* 86:1035–1042 (1995)) are conserved in the canine sequence as well (FIGS. 2A–2C). The 5' and 3' untranslated regions have diverged to a greater extent than the coding region (data not shown), comparable to that found between the human and bovine sequences derived for the 5' flanking region (Janel, N. et al., *Gene* 167:291–295 (1995)). Additional insights into the structure and function of the von Willebrand factor can be gained by comparison of the complete human sequence (Mancuso, D. J. et al., *Biochemistry* 30:253–269 (1989); Meyer, D. et al., *Throm Haemostasis* 70:99–104 (1993)) and the complete canine sequence reported here.

The sequence for most of exon 28 was determined (Mancuso, D. J. et al., *Thromb Haemost* 69:980 (1993); Porter, C. A. et al., *Mol Phylogenet Evol* 5:89–101 (1996)). All three sequences are in complete agreement, although two silent variants have been found in other breeds (Table 1, exon 28). Partial sequences of exons 40 and 41 (cDNA nucleotide numbers 6923 to 7155, from the initiation codon) were also determined as part of the development of a polymorphic simple tandem repeat genetic marker (Shibuya, H. et al., *Anim Genet* 24:122 (1994)). There is a single nucleotide sequence difference between this sequence ("T") and the sequence of the present invention, ("C") at nucleotide position 6928.

Scottish Terrier vWD mutation. FIG. 3 shows nucleotide sequencing ladders for the von Willebrand's Disease mutation region for normal (clear), carrier, and affected Scottish terriers. The sequences were obtained directly from PCR products derived from genomic DNAs in exon 4. The arrowheads show the location of the C nucleotide that is deleted in the disease-causing allele. Note that in the carrier ladder each base above the point of the mutation has a doublet appearance, as predicted for deletion mutations. The factor levels reported for these animals were: Normal, 54%; Carrier, 34%; Affected, <0.1%.

As a result of the deletion, a frameshift mutation at codon 88 leads to a new stop codon 103 bases downstream. The resulting severely truncated protein of 119 amino acids does

6,040,143

7

not include any of the mature von Willebrand factor region. The identity of the base in the normal allele was determined from an unaffected dog.

Development of a diagnostic test. A PCR primer was designed to produce a BsiE I site in the mutant allele but not in the normal allele (FIG. 4). The position of the deleted nucleotide is indicated by an asterisk. The altered nucleotides in each primer are underlined. The normal and mutant allele can also be distinguished using Sau96 I. The naturally occurring Sau96 I sites are shown by double underlines. The highly conserved donor and acceptor dinucleotide splice sequences are shown in bold type.

In order to ensure that the restriction enzyme cut the amplified DNA to completion, an internal control restriction site common to both alleles was designed into the non-diagnostic primer. The test was verified by digestion of the DNA from animals that were affected, obligate carriers, or normal (based on high factor levels [greater than 100% of normal] obtained from commonly used testing labs and reported to us by the owners, and also using breeds in which Type 3 vWD has not been observed). The expected results were obtained (e.g., FIG. 5). Five vWD-affected animals from a colony founded from Scottish terriers (Brinkhous, K. M. et al., *Ann. New York Acad. Sci.* 370:191-203 (1981)) were also shown to be homozygous for this mutation. An additional unaffected animal from this same colony was found to be clear.

It would still be possible to misinterpret the results of the test if restriction enzyme digestion was not complete, and if the rates of cleavage of the control and diagnostic sites were vastly different. The rates of cleavage of the two BsiE I sites were thus examined by partially digesting the PCR products and running them on capillary electrophoresis. The rates were found to be very nearly equal (the diagnostic site is cut 12% faster than the control site).

8

The mutagenesis primer was also designed to produce a Sau96 I site into the normal allele but not the mutant allele. This is the reverse relationship compared to the BsiE I-dependent test, with respect to which allele is cut. Natural internal Sau96 I sites serve as digestion control sites (shown in FIG. 4). The test using this enzyme produced identical genotypic results compared to the BsiE I for all animals examined (data not shown).

A possible mutation in the Doberman Pinscher gene. The complete Scottish terrier sequence was compared to the complete Doberman Pinscher sequence. Several nucleotide differences were found and were compared to the nucleotides found in the same position in the human sequence as shown in Table 1 below. Most of these changes were silent. However, of three amino acid changes, one is relatively non-conservative (F905L) and is proposed to be the mutation that causes Doberman Pinscher vWD. Other data strongly suggest that the nucleotide interchange at the end of exon 43 causes a cryptic splice site to be activated reducing the amount of normally processed mRNA, with a concomitant decrease in the amount of vWF produced.

Mendelian inheritance. One test often used to verify the correct identification of a mutant allele is its inheritance according to Mendel's law of segregation. Three pedigrees were examined in which the normal and mutant alleles were segregating, as shown in FIG. 5. Exon four of the vWF gene was PCR-amplified from genomic DNA. The PCR products were examined for the presence of the normal and mutant vWF alleles by agarose gel electrophoresis after digestion with BsiE I (see FIG. 5). The affected animals are homozygous for the mutant allele (229 bp; lanes 3 and 5). The other animals in this pedigree are heterozygotes (251 bp and 229 bp; lanes 1, 2, 4, and 6), including the obligate carrier parents.

TABLE 1

Differences Between Scottish And Doberman Protein And Nucleotide von Willebrand Factor Sequences With Comparison To The Human Sequences								
Exon	A.A. ¹	Amino Acid			Codon			
		Human	Scottie	Doberman	Human	Scottie	Doberman	
5' UT ²	nuc - 35 ³	N/A ⁴	N/A	N/A	N/A	A	G	
4	85	S	S/F Shift ⁵	S	TCC	TCC/TC_	TCC	
5	173	M	R	K	ATG	AGG	AAG	
11	422	S T	T	TCC	ACA	ACC		
21	898	C	C	C	TGC	TGT	TGC	
21	905	F	F	L	TTT	TTC	TTA	
24	1041	S	S	S	TCA	TCA	TCG	
24	1042	S	S	S	TCC	TCC	TCA	
28	1333	D	D	E	GAC	GAC	GAG	
28	1349	Y	Y	Y	TAT	TAT	TAC*	

6,040,143

9

10

TABLE 1-continued

Differences Between Scottie And Doberman Protein And Nucleotide von Willebrand Factor Sequences With Comparison To The Human Sequences							
Exon	A.A. ¹	Amino Acid			Codon		
		Human	Scottie	Doberman	Human	Scottie	Doberman
42	2381	P	L	P	CCC	CTG	CCG
43	2379	S	S	S	TCG	TCG	TCA
45	2555	P	P	CCC	CCC	CCG	
47	2591	P/ P	P	CCC	CCT	CCC	
49	2672	D	D	D	GAT	GAT	GAC
51	2744	E	E	E	GAG	GAG	GAA

¹Amino acid residue position²Untranslated region³Nucleotide position⁴Not Applicable⁵Frameshift mutation

Boxed residues show amino acid differences between breeds

*This site has been shown to be polymorphic in some breeds

The mature VWF protein begins in exon 18

The alleles, as typed by both the BsiE I and Sau96 I tests, showed no inconsistencies with Mendelian inheritance. One of these pedigrees included two affected animals, two phenotypically normal siblings, and the obligate carrier parents. The two parents were found to be heterozygous by the test, the two affected animals were found to be homozygous for the mutant allele, and the normal siblings were found to be heterozygotes.

Population survey for the mutation. Cheek swabs or blood samples were collected from 87 animals in order to determine the incidence of carriers in the U.S. Scottish terrier population. Although we attempted to make the sample as random as possible, these dogs were found to come from 16 pedigrees, several of which are more distantly interconnected. This is due to some ascertainment bias, based on ownership (as opposed to phenotypic ascertainment bias). In these 87 animals four affected and 15 carrier animals were found.

Discussion

These results establish that the single base deletion found in exon four of the vWF gene causes vWD in the Scottish terrier breed. The protein produced from the mutant allele is extremely short and does not include any of the mature vWF protein. Four Scottish terriers known to be affected with the disease are homozygous for the mutation. Five other mixed-breed dogs descended from Scottish terriers, and affected with vWD, are also homozygous for the mutation. No normal animals are homozygous for the mutation. Unaffected obligate carriers are always heterozygous for the mutation.

The gene frequency, as determined from the population survey, appears to be around 0.13 resulting in a heterozygote frequency of about 23% and expected frequency of affected animals of about 2%. Although the sample size is relatively small and somewhat biased, these data are in general agreement with the protein-based surveys (Stokol, T. et al., *Res Vet Sci* 59:152-155 (1995); Brooks, M., *Probl In Vet Med* 4:636-646 (1992)), in that the allele frequency is substantial.

All data collected thus far indicate that this mutation accounts for essentially all of the von Willebrand's disease

found in Scottish terriers. This result is consistent with the results found for other genetic diseases, defined at the molecular level, in various domestic animals (Shuster, D. E. et al., *PNAS (USA)* 89:9225-9229 (1992); Rudolph, J. A. et al., *Nat Genet* 2:144-147 (1992); O'Brien, P. J. et al., *JAVMA* 203:842-851 (1993)). A likely explanation may be found in the pronounced founder effect that occurs in domestic animals, compared to most human and wild animal populations.

Published data using the protein-based factor assays have shown that, at least in several instances, obligate carriers have had factor levels that would lead to a diagnosis of "clear" of the disease allele. For example, in one study an obligate carrier had a factor level of 78% (Johnson, G. S. et al., *JAVMA* 176:1261-1263 (1980)). In another study, at least some of the obligate carriers had factor levels of 65% or greater (Brinkhous, K. M. et al., *Ann. New York Acad. Sci.* 370:191-203 (1981)). In addition, the number of animals that fall into an equivocal range can be substantial. In one study, 19% of Scottish terriers fell in this range (50-65% of the normal vWF antigen level) (Stokol, T. et al., *Res Vet Sci* 59:152-155 (1995)). Thus, although the protein-based tests have been useful, the certainty of the DNA-based test described herein should relieve the necessity of repeated testing and the variability associated with the protein-based assays.

The mutation is present in the pre-vWF part of the molecule. This part of the molecule is processed off prior to delivery of the mature protein into the plasma. This pre-portion of the molecule is important for the assembly of the mature vWF protein (Verwiej, L. et al., *EBMO J* 6:2885-2890 (1987); Wise, R. J. et al., *Cell* 52:229-236 (1988)). With the Scottish terrier frameshift vWD mutation, neither this pre-portion nor any of the mature factor is ever produced, in keeping with the fact that no factor has ever been detected in the blood of affected dogs.

The determination of the complete canine vWF cDNA sequence will have an impact upon the development of carrier tests for other breeds and other species as well. Currently, Shetland sheepdogs and Dutch Kooikers are known to have a significant amount of Type 3 vWD (Brooks,

6,040,143

11

M. et al., *JAVMA* 200:1123-1127 (1992); Slappendel, R. J., *Ver-Q* 17:S21-S22 (1995). Type 3 vWD has occasionally been seen in other breeds as well (e.g., Johnson, G. S. et al., *JAVMA* 176:1261-1263 (1980)). All Type 3 vWD mutations described in humans to date have been found within the vWF gene itself. The availability of the canine sequence will make it easier to find the mutations in these breeds. In addition, at least some Type 1 mutations have been found within the human vWF gene, and thus Type 1 mutations may also be found within the vWF gene for breeds affected with that form of the disease. The availability of two divergent mammalian vWF cDNA sequences will also make it much easier to sequence the gene from other mammalian species using cross-species PCR methods (e.g., Venta et al., *Biochem. Genet.* (1996) in press).

12

The test described herein for the detection of the mutation in Scottish terriers may be performed on small amounts of DNA from any tissue. The tissues that are the least invasive to obtain are blood and buccal cells. For maximum convenience, a cheek swab as a source of DNA is preferred.

The foregoing discussion discloses and describes merely exemplary embodiments of the present invention. One skilled in the art will readily recognize from such discussion, and from the accompanying drawings, that various changes, modifications and variations can be made therein without departing from the spirit and scope of the invention.

All patents and other publications cited herein are expressly incorporated by reference.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(iii) NUMBER OF SEQUENCES: 11

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8802 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 203..8641
- (D) OTHER INFORMATION: /function= "Blood Clotting Protein"
/product= "Canine von Willebrand Factor"
/standard_name= "vWF"

(x) PUBLICATION INFORMATION:

- (A) AUTHORS: Venta, Patrick J.
Li, Jianping
Yuzbasiyan-Gurkan, Vilma
Schall, William D.
Brewer, George J.
- (B) TITLE: Von Willebrand's Disease in the Scottish Terrier is Caused by a Single Base Deletion in Exon Four of the von Willebrand Factor Gene
- (C) JOURNAL: Journal of the American Veterinary Medicine Association
- (G) DATE: 1996
- (K) RELEVANT RESIDUES IN SEQ ID NO:1: FROM 1 TO 8802

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

```

CATTAAAAGG TCCTGGCTGG GAGCTTTTTT TTGGGACCAG CACTCCATGT TCAAGGGCAA      60
ACAGGGGCCA ATTAGGATCA ATCTTTTTC TTCTTTTTT TAAAAAATAA AATTCTTCCC      120
ACTTTGCACA CGGACAGTAG TACATACCAG TAGCTCTCTG CGAGGACGGT GATCACTAAT      180
CATTTCCTCT GCTTCGTGGC AG ATG AGT CCT ACC AGA CTT GTG AGG GTG CTG      232
          Met Ser Pro Thr Arg Leu Val Arg Val Leu
              1              5              10

CTG GCT CTG GCC CTC ATC TTG CCA GGG AAA CTT TGT ACA AAA GGG ACT      280
Leu Ala Leu Ala Leu Ile Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr
          15              20              25

```

6,040,143

13

14

-continued

GTT GGA AGG TCA TCG ATG GCC CGA TGT AGC CTT CTC GGA GGT GAC TTC	328
Val Gly Arg Ser Ser Met Ala Arg Cys Ser Leu Leu Gly Gly Asp Phe	
30 35 40	
ATC AAC ACC TTT GAT GAG AGC ATG TAC AGC TTT GCG GGA GAT TGC AGT	376
Ile Asn Thr Phe Asp Glu Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser	
45 50 55	
TAC CTC CTG GCT GGG GAC TGC CAG GAA CAC TCC ATC TCA CTT ATC GGG	424
Tyr Leu Leu Ala Gly Asp Cys Gln Glu His Ser Ile Ser Leu Ile Gly	
60 65 70	
GGT TTC CAA AAT GAC AAA AGA GTG AGC CTC TCC GTG TAT CTC GGA GAA	472
Gly Phe Gln Asn Asp Lys Arg Val Ser Leu Ser Val Tyr Leu Gly Glu	
75 80 85 90	
TTT TTC GAC ATT CAT TTG TTT GTC AAT GGT ACC ATG CTG CAG GGG ACC	520
Phe Phe Asp Ile His Leu Phe Val Asn Gly Thr Met Leu Gln Gly Thr	
95 100 105	
CAA AGC ATC TCC ATG CCC TAC GCC TCC AAT GGG CTG TAT CTA GAG GCC	568
Gln Ser Ile Ser Met Pro Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala	
110 115 120	
GAG GCT GGC TAC TAC AAG CTG TCC AGT GAG GCC TAC GGC TTT GTG GCC	616
Glu Ala Gly Tyr Tyr Lys Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala	
125 130 135	
AGA ATT GAT GGC AAT GGC AAC TTT CAA GTC CTG CTG TCA GAC AGA TAC	664
Arg Ile Asp Gly Asn Gly Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr	
140 145 150	
TTC AAC AAG ACC TGT GGG CTG TGT GGC AAC TTT AAT ATC TTT GCT GAG	712
Phe Asn Lys Thr Cys Gly Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu	
155 160 165 170	
GAT GAC TTC AAG ACT CAA GAA GGG ACG TTG ACT TCG GAC CCC TAT GAC	760
Asp Asp Phe Lys Thr Gln Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp	
175 180 185	
TTT GCC AAC TCC TGG GCC CTG AGC AGT GGG GAA CAA CGG TGC AAA CGG	808
Phe Ala Asn Ser Trp Ala Leu Ser Ser Gly Glu Gln Arg Cys Lys Arg	
190 195 200	
GTG TCC CCT CCC AGC AGC CCA TGC AAT GTC TCC TCT GAT GAA GTG CAG	856
Val Ser Pro Pro Ser Ser Pro Cys Asn Val Ser Ser Asp Glu Val Gln	
205 210 215	
CAG GTC CTG TGG GAG CAG TGC CAG CTC CTG AAG AGT GCC TCG GTG TTT	904
Gln Val Leu Trp Glu Gln Cys Gln Leu Leu Lys Ser Ala Ser Val Phe	
220 225 230	
GCC CGC TGC CAC CCG CTG GTG GAC CCT GAG CCT TTT GTC GCC CTG TGT	952
Ala Arg Cys His Pro Leu Val Asp Pro Glu Pro Phe Val Ala Leu Cys	
235 240 245 250	
GAA AGG ACT CTG TGC ACC TGT GTC CAG GGG ATG GAG TGC CCT TGT GCG	1000
Glu Arg Thr Leu Cys Thr Cys Val Gln Gly Met Glu Cys Pro Cys Ala	
255 260 265	
GTC CTC CTG GAG TAC GCC CGG GCC TGT GCC CAG CAG GGG ATT GTC TTG	1048
Val Leu Leu Glu Tyr Ala Arg Ala Cys Ala Gln Gln Gly Ile Val Leu	
270 275 280	
TAC GGC TGG ACC GAC CAC AGC GTC TGC CGA CCA GCA TGC CCT GCT GGC	1096
Tyr Gly Trp Thr Asp His Ser Val Cys Arg Pro Ala Cys Pro Ala Gly	
285 290 295	
ATG GAG TAC AAG GAG TGC GTG TCC CCT TGC ACC AGA ACT TGC CAG AGC	1144
Met Glu Tyr Lys Glu Cys Val Ser Pro Cys Thr Arg Thr Cys Gln Ser	
300 305 310	
CTT CAT GTC AAA GAA GTG TGT CAG GAG CAA TGT GTA GAT GGC TGC AGC	1192
Leu His Val Lys Glu Val Cys Gln Glu Gln Cys Val Asp Gly Cys Ser	
315 320 325 330	
TGC CCC GAG GGC CAG CTC CTG GAT GAA GGC CAC TGC GTG GGA AGT GCT	1240
Cys Pro Glu Gly Gln Leu Leu Asp Glu Glu His Cys Val Gly Ser Ala	
335 340 345	

6,040,143

15

16

-continued

GAG TGT TCC TGT GTG CAT GCT GGG CAA CGG TAC CCT CCG GGC GCC TCC Glu Cys Ser Cys Val His Ala Gly Gln Arg Tyr Pro Pro Gly Ala Ser 350 355 360	1288
CTC TTA CAG GAC TGC CAC ACC TGC ATT TGC CGA AAT AGC CTG TGG ATC Leu Leu Gln Asp Cys His Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile 365 370 375	1336
TGC AGC AAT GAA GAA TGC CCA GGC GAG TGT CTG GTC ACA GGA CAG TCC Cys Ser Asn Glu Glu Cys Pro Gly Glu Cys Leu Val Thr Gly Gln Ser 380 385 390	1384
CAC TTC AAG AGC TTC GAC AAC AGG TAC TTC ACC TTC AGT GGG GTC TGC His Phe Lys Ser Phe Asp Asn Arg Tyr Phe Thr Phe Ser Gly Val Cys 395 400 405 410	1432
CAC TAC CTG CTG GCC CAG GAC TGC CAG GAC CAC ACA TTC TCT GTT GTC His Tyr Leu Leu Ala Gln Asp Cys Gln Asp His Thr Phe Ser Val Val 415 420 425	1480
ATA GAG ACT GTC CAG TGT GCC GAT GAC CTG GAT GCT GTC TGC ACC CGC Ile Glu Thr Val Gln Cys Ala Asp Asp Leu Asp Ala Val Cys Thr Arg 430 435 440	1528
TCG GTC ACC GTC CGC CTG CCT GGA CAT CAC AAC AGC CTT GTG AAG CTG Ser Val Thr Val Arg Leu Pro Gly His His Asn Ser Leu Val Lys Leu 445 450 455	1576
AAG AAT GGG GGA GGA GTC TCC ATG GAT GGC CAG GAT ATC CAG ATT CCT Lys Asn Gly Gly Gly Val Ser Met Asp Gly Gln Asp Ile Gln Ile Pro 460 465 470	1624
CTC CTG CAA GGT GAC CTC CGC ATC CAG CAC ACC GTG ATG GCC TCC GTG Leu Leu Gln Gly Asp Leu Arg Ile Gln His Thr Val Met Ala Ser Val 475 480 485 490	1672
CGC CTC AGC TAC GGG GAG GAC CTG CAG ATG GAT TCG GAC GTC CGG GGC Arg Leu Ser Tyr Gly Glu Asp Leu Gln Met Asp Ser Asp Val Arg Gly 495 500 505	1720
AGG CTA CTG GTG ACG CTG TAC CCC GCC TAC GCG GGG AAG ACG TGC GGC Arg Leu Leu Val Thr Leu Tyr Pro Ala Tyr Ala Gly Lys Thr Cys Gly 510 515 520	1768
CGT GGC GGG AAC TAC AAC GGC AAC CGG GGG GAC GAC TTC GTG ACG CCC Arg Gly Gly Asn Tyr Asn Gly Asn Arg Gly Asp Asp Phe Val Thr Pro 525 530 535	1816
GCA GGC CTG GCG GAG CCC CTG GTG GAG GAC TTC GGG AAC GCC TGG AAG Ala Gly Leu Ala Glu Pro Leu Val Glu Asp Phe Gly Asn Ala Trp Lys 540 545 550	1864
CTG CTC GGG GCC TGC GAG AAC CTG CAG AAG CAG CAC GCG GAT CCC TGC Leu Leu Gly Ala Cys Glu Asn Leu Gln Lys Gln His Arg Asp Pro Cys 555 560 565 570	1912
AGC CTC AAC CCG CGC CAG GCC AGG TTT GCG GAG GAG GCG TGC GCG CTG Ser Leu Asn Pro Arg Gln Ala Arg Phe Ala Glu Glu Ala Cys Ala Leu 575 580 585	1960
CTG ACG TCC TCG AAG TTC GAG CCC TGC CAC CGA GCG GTG GGT CCT CAG Leu Thr Ser Ser Lys Phe Glu Pro Cys His Arg Ala Val Gly Pro Gln 590 595 600	2008
CCC TAC GTG CAG AAC TGC CTC TAC GAC GTC TGC TCC TGC TCC GAC GGC Pro Tyr Val Gln Asn Cys Leu Tyr Asp Val Cys Ser Cys Ser Asp Gly 605 610 615	2056
AGA GAC TGT CTT TGC AGC GCC GTG GCC AAC TAC GCC GCA GCC GTG GCC Arg Asp Cys Leu Cys Ser Ala Val Ala Asn Tyr Ala Ala Val Ala 620 625 630	2104
CGG AGG GGC GTG CAC ATC GCG TGG CGG GAG CCG GGC TTC TGT GCG CTG Arg Arg Gly Val His Ile Ala Trp Arg Glu Pro Gly Phe Cys Ala Leu 635 640 645 650	2152
AGC TGC CCC CAG GGC CAG GTG TAC CTG CAG TGT GGG ACC CCC TGC AAC Ser Cys Pro Gln Gly Gln Val Tyr Leu Gln Cys Gly Thr Pro Cys Asn	2200

										655				660				665				
ATG	ACC	TGT	CTC	TCC	CTC	TCT	TAC	CCG	GAG	GAG	GAC	TGC	AAT	GAG	GTC							
Met	Thr	Cys	Leu	Ser	Leu	Ser	Tyr	Pro	Glu	Glu	Asp	Cys	Asn	Glu	Val					2248		
										670				680								
TGC	TTG	GAA	AGC	TGC	TTC	TCC	CCC	CCA	GGG	CTG	TAC	CTG	GAT	GAG	AGG					2296		
Cys	Leu	Glu	Ser	Cys	Phe	Ser	Pro	Pro	Gly	Leu	Tyr	Leu	Asp	Glu	Arg							
										685				695								
GGA	GAT	TGT	GTG	CCC	AAG	GCT	CAG	TGT	CCC	TGT	TAC	TAT	GAT	GGT	GAG					2344		
Gly	Asp	Cys	Val	Pro	Lys	Ala	Gln	Cys	Pro	Cys	Tyr	Tyr	Asp	Gly	Glu							
										700				710								
ATC	TTT	CAG	CCC	GAA	GAC	ATC	TTC	TCA	GAC	CAT	CAC	ACC	ATG	TGC	TAC					2392		
Ile	Phe	Gln	Pro	Glu	Asp	Ile	Phe	Ser	Asp	His	His	Thr	Met	Cys	Tyr							
										715				725								
TGT	GAG	GAT	GGC	TTC	ATG	CAC	TGT	ACC	ACA	AGT	GGA	GGC	CTG	GGA	AGC					2440		
Cys	Glu	Asp	Gly	Phe	Met	His	Cys	Thr	Thr	Ser	Gly	Gly	Leu	Gly	Ser							
										735				745								
CTG	CTG	CCC	AAC	CCG	GTG	CTC	AGC	AGC	CCC	CGG	TGT	CAC	CGC	AGC	AAA					2488		
Leu	Leu	Pro	Asn	Pro	Val	Leu	Ser	Ser	Pro	Arg	Cys	His	Arg	Ser	Lys							
										750				760								
AGG	AGC	CTG	TCC	TGT	CGG	CCC	CCC	ATG	GTC	AAG	TTG	GTG	TGT	CCC	GCT					2536		
Arg	Ser	Leu	Ser	Cys	Arg	Pro	Pro	Met	Val	Lys	Leu	Val	Cys	Pro	Ala							
										765				775								
GAT	AAC	CCG	AGG	GCT	GAA	GGA	CTG	GAG	TGT	GCC	AAA	ACC	TGC	CAG	AAC					2584		
Asp	Asn	Pro	Arg	Ala	Glu	Gly	Leu	Glu	Cys	Ala	Lys	Thr	Cys	Gln	Asn							
										780				790								
TAT	GAC	CTG	CAG	TGC	ATG	AGC	ACA	GGC	TGT	GTC	TCC	GGC	TGC	CTC	TGC					2632		
Tyr	Asp	Leu	Gln	Cys	Met	Ser	Thr	Gly	Cys	Val	Ser	Gly	Cys	Leu	Cys							
										795				805								
CCG	CAG	GGC	ATG	GTC	CGG	CAT	GAA	AAC	AGG	TGT	GTG	GCG	CTG	GAA	AGA					2680		
Pro	Gln	Gly	Met	Val	Arg	His	Glu	Asn	Arg	Cys	Val	Ala	Leu	Glu	Arg							
										815				825								
TGT	CCC	TGC	TTC	CAC	CAA	GGC	CAA	GAG	TAC	GCC	CCA	GGA	GAA	ACC	GTG					2728		
Cys	Pro	Cys	Phe	His	Gln	Gly	Gln	Glu	Tyr	Ala	Pro	Gly	Glu	Thr	Val							
										830				840								
AAA	ATT	GAC	TGC	AAC	ACT	TGT	GTC	TGT	CGG	GAC	CGG	AAG	TGG	ACC	TGC					2776		
Lys	Ile	Asp	Cys	Asn	Thr	Cys	Val	Cys	Arg	Asp	Arg	Lys	Trp	Thr	Cys							
										845				855								
ACA	GAC	CAT	GTG	TGT	GAT	GCC	ACT	TGC	TCT	GCC	ATC	GGC	ATG	GCG	CAC					2824		
Thr	Asp	His	Val	Cys	Asp	Ala	Thr	Cys	Ser	Ala	Ile	Gly	Met	Ala	His							
										860				870								
TAC	CTC	ACC	TTC	GAC	GGA	CTC	AAG															

6,040,143

19

20

-continued

Ser Val Val Trp Asp His Arg Leu Ser Ile Ser Val Thr Leu Lys Arg	
975 980 985	
ACA TAC CAG GAG CAG GTG TGT GGC CTG TGT GGG AAT TTT GAT GGC ATC	3208
Thr Tyr Gln Glu Gln Val Cys Gly Leu Cys Gly Asn Phe Asp Gly Ile	
990 995 1000	
CAG AAC AAT GAT TTC ACC AGC AGC AGC CTC CAA ATA GAA GAA GAC CCT	3256
Gln Asn Asn Asp Phe Thr Ser Ser Ser Leu Gln Ile Glu Glu Asp Pro	
1005 1010 1015	
GTG GAC TTT GGG AAT TCC TGG AAA GTG AAC CCG CAG TGT GCC GAC ACC	3304
Val Asp Phe Gly Asn Ser Trp Lys Val Asn Pro Gln Cys Ala Asp Thr	
1020 1025 1030	
AAG AAA GTA CCA CTG GAC TCA TCC CCT GCC GTC TGC CAC AAC AAC ATC	3352
Lys Lys Val Pro Leu Asp Ser Ser Pro Ala Val Cys His Asn Asn Ile	
1035 1040 1045 1050	
ATG AAG CAG ACG ATG GTG GAT TCC TCC TGC AGG ATC CTC ACC AGT GAT	3400
Met Lys Gln Thr Met Val Asp Ser Ser Cys Arg Ile Leu Thr Ser Asp	
1055 1060 1065	
ATT TTC CAG GAC TGC AAC AGG CTG GTG GAC CCT GAG CCA TTC CTG GAC	3448
Ile Phe Gln Asp Cys Asn Arg Leu Val Asp Pro Glu Pro Phe Leu Asp	
1070 1075 1080	
ATT TGC ATC TAC GAC ACT TGC TCC TGT GAG TCC ATT GGG GAC TGC ACC	3496
Ile Cys Ile Tyr Asp Thr Cys Ser Cys Glu Ser Ile Gly Asp Cys Thr	
1085 1090 1095	
TGC TTC TGT GAC ACC ATT GCT GCT TAC GCC CAC GTC TGT GCC CAG CAT	3544
Cys Phe Cys Asp Thr Ile Ala Ala Tyr Ala His Val Cys Ala Gln His	
1100 1105 1110	
GGC AAG GTG GTA GCC TGG AGG ACA GCC ACA TTC TGT CCC CAG AAT TGC	3592
Gly Lys Val Val Ala Trp Arg Thr Ala Thr Phe Cys Pro Gln Asn Cys	
1115 1120 1125 1130	
GAG GAG CGG AAT CTC CAC GAG AAT GGG TAT GAG TGT GAG TGG CGC TAT	3640
Glu Glu Arg Asn Leu His Glu Asn Gly Tyr Glu Cys Glu Trp Arg Tyr	
1135 1140 1145	
AAC AGC TGT GCC CCT GCC TGT CCC ATC ACG TGC CAG CAC CCC GAG CCA	3688
Asn Ser Cys Ala Pro Ala Cys Pro Ile Thr Cys Gln His Pro Glu Pro	
1150 1155 1160	
CTG GCA TGC CCT GTA CAG TGT GTT GAA GGT TGC CAT GCG CAC TGC CCT	3736
Leu Ala Cys Pro Val Gln Cys Val Glu Gly Cys His Ala His Cys Pro	
1165 1170 1175	
CCA GGG AAA ATC CTG GAT GAG CTT TTG CAG ACC TGC ATC GAC CCT GAA	3784
Pro Gly Lys Ile Leu Asp Glu Leu Leu Gln Thr Cys Ile Asp Pro Glu	
1180 1185 1190	
GAC TGT CCT GTG TGT GAG GTG GCT GGT CGT CGC TTG GCC CCA GGA AAG	3832
Asp Cys Pro Val Cys Glu Val Ala Gly Arg Arg Leu Ala Pro Gly Lys	
1195 1200 1205 1210	
AAA ATC ATC TTG AAC CCC AGT GAC CCT GAG CAC TGC CAA ATT TGT AAT	3880
Lys Ile Ile Leu Asn Pro Ser Asp Pro Glu His Cys Gln Ile Cys Asn	
1215 1220 1225	
TGT GAT GGT GTC AAC TTC ACC TGT AAG GCC TGC AGA GAA CCC GGA AGT	3928
Cys Asp Gly Val Asn Phe Thr Cys Lys Ala Cys Arg Glu Pro Gly Ser	
1230 1235 1240	
GTT GTG GTG CCC CCC ACA GAT GGC CCC ATT GGC TCT ACC ACC TCG TAT	3976
Val Val Val Pro Pro Thr Asp Gly Pro Ile Gly Ser Thr Thr Ser Tyr	
1245 1250 1255	
GTG GAG CAC ACG TCG GAG CCG CCC CTC CAT GAC TTC CAC TGC AGC AGG	4024
Val Glu Asp Thr Ser Glu Pro Pro Leu His Asp Phe His Cys Ser Arg	
1260 1265 1270	
CTT CTG GAC CTG GTT TTC CTG CTG GAT GGC TCC TCC AAG CTG TCT GAG	4072
Leu Leu Asp Leu Val Phe Leu Leu Asp Gly Ser Ser Lys Leu Ser Glu	
1275 1280 1285 1290	

6,040,143

21

22

-continued

GAC GAG TTT GAA GTG CTG AAG GTC TTT GTG GTG GGT ATG ATG GAG CAT	4120
Asp Glu Phe Glu Val Leu Lys Val Phe Val Val Gly Met Met Glu His	
1295 1300 1305	
CTG CAC ATC TCC CAG AAG CGG ATC CGC GTG GCT GTG GTG GAG TAC CAC	4168
Leu His Ile Ser Gln Lys Arg Ile Arg Val Ala Val Val Glu Tyr His	
1310 1315 1320	
GAC GGC TCC CAC GCC TAC ATC GAG CTC AAG GAC CGG AAG CGA CCC TCA	4216
Asp Gly Ser His Ala Tyr Ile Glu Leu Lys Asp Arg Lys Arg Pro Ser	
1325 1330 1335	
GAG CTG CGG CGC ATC ACC AGC CAG GTG AAG TAC GCG GGC AGC GAG GTG	4264
Glu Leu Arg Arg Ile Thr Ser Gln Val Lys Tyr Ala Gly Ser Glu Val	
1340 1345 1350	
GCC TCC ACC AGT GAG GTC TTA AAG TAC ACG CTG TTC CAG ATC TTT GGC	4312
Ala Ser Thr Ser Glu Val Leu Lys Tyr Thr Leu Phe Gln Ile Phe Gly	
1355 1360 1365 1370	
AAG ATC GAC CGC CCG GAA GCG TCT CGC ATT GCC CTG CTC CTG ATG GCC	4360
Lys Ile Asp Arg Pro Glu Ala Ser Arg Ile Ala Leu Leu Leu Met Ala	
1375 1380 1385	
AGC CAG GAG CCC TCA AGG CTG GCC CGG AAT TTG GTC CGC TAT GTG CAG	4408
Ser Gln Glu Pro Ser Arg Leu Ala Arg Asn Leu Val Arg Tyr Val Gln	
1390 1395 1400	
GGC CTG AAG AAG AAG AAA GTC ATT GTC ATC CCT GTG GGC ATC GGG CCC	4456
Gly Leu Lys Lys Lys Lys Val Ile Val Ile Pro Val Gly Ile Gly Pro	
1405 1410 1415	
CAC GCC AGC CTT AAG CAG ATC CAC CTC ATA GAG AAG CAG GCC CCT GAG	4504
His Ala Ser Leu Lys Gln Ile His Leu Ile Glu Lys Gln Ala Pro Glu	
1420 1425 1430	
AAC AAG GCC TTT GTG TTC AGT GGT GTG GAT GAG TTG GAG CAG CGA AGG	4552
Asn Lys Ala Phe Val Phe Ser Gly Val Asp Glu Leu Glu Gln Arg Arg	
1435 1440 1445 1450	
GAT GAG ATT ATC AAC TAC CTC TGT GAC CTT GCC CCC GAA GCA CCT GCC	4600
Asp Glu Ile Ile Asn Tyr Leu Cys Asp Leu Ala Pro Glu Ala Pro Ala	
1455 1460 1465	
CCT ACT CAG CAC CCC CCA ATG GCC CAG GTC ACG GTG GGT TCG GAG CTG	4648
Pro Thr Gln His Pro Pro Met Ala Gln Val Thr Val Gly Ser Glu Leu	
1470 1475 1480	
TTG GGG GTT TCA TCT CCA GGA CCC AAA AGG AAC TCC ATG GTC CTG GAT	4696
Leu Gly Val Ser Ser Pro Gly Pro Lys Arg Asn Ser Met Val Leu Asp	
1485 1490 1495	
GTG GTG TTT GTC CTG GAA GGG TCA GAC AAA ATT GGT GAG GCC AAC TTT	4744
Val Val Phe Val Leu Glu Gly Ser Asp Lys Ile Gly Glu Ala Asn Phe	
1500 1505 1510	
AAC AAA AGC AGG GAG TTC ATG GAG GAG GTG ATT CAG CGG ATG GAC GTG	4792
Asn Lys Ser Arg Glu Phe Met Glu Glu Val Ile Gln Arg Met Asp Val	
1515 1520 1525 1530	
GGC CAG GAC AGG ATC CAC GTC ACA GTG CTG CAG TAC TCG TAC ATG GTG	4840
Gly Gln Asp Arg Ile His Val Thr Val Leu Gln Tyr Ser Tyr Met Val	
1535 1540 1545	
ACC GTG GAG TAC ACC TTC AGC GAG GCG CAG TCC AAG GGC GAG GTC CTA	4888
Thr Val Glu Tyr Thr Phe Ser Glu Ala Gln Ser Lys Gly Glu Val Leu	
1550 1555 1560	
CAG CAG GTG CGG GAT ATC CGA TAC CGG GGT GGC AAC AGG ACC AAC ACT	4936
Gln Gln Val Arg Asp Ile Arg Tyr Arg Gly Gly Asn Arg Thr Asn Thr	
1565 1570 1575	
GGA CTG GCC CTG CAA TAC CTG TCC GAA CAC AGC TTC TCG GTC AGC CAG	4984
Gly Leu Ala Leu Gln Tyr Leu Ser Glu His Ser Phe Ser Val Ser Gln	
1580 1585 1590	
GGG GAC CGG GAG CAG GTA CCT AAC CTG GTC TAC ATG GTC ACA GGA AAC	5032
Gly Asp Arg Glu Gln Val Pro Asn Leu Val Tyr Met Val Thr Gly Asn	
1595 1600 1605 1610	

6,040,143

23

24

-continued

CCC GCT TCT GAT GAG ATC AAG CGG ATG CCT GGA GAC ATC CAG GTG GTG Pro Ala Ser Asp Glu Ile Lys Arg Met Pro Gly Asp Ile Gln Val Val 1615 1620 1625	5080
CCC ATC GGG GTG GGT CCA CAT GCC AAT GTG CAG GAG CTG GAG AAG ATT Pro Ile Gly Val Gly Pro His Ala Asn Val Gln Glu Leu Glu Lys Ile 1630 1635 1640	5128
GGC TGG CCC AAT GCC CCC ATC CTC ATC CAT GAC TTT GAG ATG CTC CCT Gly Trp Pro Asn Ala Pro Ile Leu Ile His Asp Phe Glu Met Leu Pro 1645 1650 1655	5176
CGA GAG GCT CCT GAT CTG GTG CTA CAG AGG TGC TGC TCT GGA GAG GGG Arg Glu Ala Pro Asp Leu Val Leu Gln Arg Cys Cys Ser Gly Glu Gly 1660 1665 1670	5224
CTG CAG ATC CCC ACC CTC TCC CCC ACC CCA GAT TGC AGC CAG CCC CTG Leu Gln Ile Pro Thr Leu Ser Pro Thr Pro Asp Cys Ser Gln Pro Leu 1675 1680 1685 1690	5272
GAT GTG GTC CTC CTC CTG GAT GGC TCT TCC AGC ATT CCA GCT TCT TAC Asp Val Val Leu Leu Leu Asp Gly Ser Ser Ser Ile Pro Ala Ser Tyr 1695 1700 1705	5320
TTT GAT GAA ATG AAG AGC TTC ACC AAG GCT TTT ATT TCA AGA GCT AAT Phe Asp Glu Met Lys Ser Phe Thr Lys Ala Phe Ile Ser Arg Ala Asn 1710 1715 1720	5368
ATA GGG CCC CGG CTC ACT CAA GTG TCG GTG CTG CAA TAT GGA AGC ATC Ile Gly Pro Arg Leu Thr Gln Val Ser Val Leu Gln Tyr Gly Ser Ile 1725 1730 1735	5416
ACC ACT ATC GAT GTG CCT TGG AAT GTA GCC TAT GAG AAA GTC CAT TTA Thr Thr Ile Asp Val Pro Trp Asn Val Ala Tyr Glu Lys Val His Leu 1740 1745 1750	5464
CTG AGC CTT GTG GAC CTC ATG CAG CAG GAG GGA GGC CCC AGC GAA ATT Leu Ser Leu Val Asp Leu Met Gln Gln Gly Gly Pro Ser Glu Ile 1755 1760 1765 1770	5512
GGG GAT GCT TTG AGC TTT GCC GTG CGA TAT GTC ACC TCA GAA GTC CAT Gly Asp Ala Leu Ser Phe Ala Val Arg Tyr Val Thr Ser Glu Val His 1775 1780 1785	5560
GGT GCC AGG CCC GGA GCC TCG AAA GCG GTG GTT ATC CTA GTC ACA GAT Gly Ala Arg Pro Gly Ala Ser Lys Ala Val Val Ile Leu Val Thr Asp 1790 1795 1800	5608
GTC TCC GTG GAT TCA GTG GAT GCT GCA GCC GAG GCC GCC AGA TCC AAC Val Ser Val Asp Ser Val Asp Ala Ala Ala Glu Ala Ala Arg Ser Asn 1805 1810 1815	5656
CGA GTG ACA GTG TTC CCC ATT GGA ATC GGG GAT CGG TAC AGT GAG GCC Arg Val Thr Val Phe Pro Ile Gly Ile Gly Asp Arg Tyr Ser Glu Ala 1820 1825 1830	5704
CAG CTG AGC AGC TTG GCA GGC CCA AAG GCT GGC TCC AAT ATG GTA AGG Gln Leu Ser Ser Leu Ala Gly Pro Lys Ala Gly Ser Asn Met Val Arg 1835 1840 1845 1850	5752
CTC CAG CGA ATT GAA GAC CTC CCC ACC GTG GCC ACC CTG GGA AAT TCC Leu Gln Arg Ile Glu Asp Leu Pro Thr Val Ala Thr Leu Gly Asn Ser 1855 1860 1865	5800
TTC TTC CAC AAG CTG TGC TCT GGG TTT GAT AGA GTT TGC GTG GAT GAG Phe Phe His Lys Leu Cys Ser Gly Phe Asp Arg Val Cys Val Asp Glu 1870 1875 1880	5848
GAT GGG AAT GAG AAG AGG CCC GGG GAT GTC TGG ACC TTG CCA GAC CAG Asp Gly Asn Glu Lys Arg Pro Gly Asp Val Trp Thr Leu Pro Asp Gln 1885 1890 1895	5896
TGC CAC ACA GTG ACT TGC CTG CCA GAT GGC CAG ACC TTG CTG AAG AGT Cys His Thr Val Thr Cys Leu Pro Asp Gly Gln Thr Leu Leu Lys Ser 1900 1905 1910	5944
CAT CGG GTC AAC TGT GAC CGG GGG CCA AGG CCT TCG TGC CCC AAT GGC His Arg Val Asn Cys Asp Arg Gly Pro Arg Pro Ser Cys Pro Asn Gly	5992

6,040,143

25

26

-continued

1915	1920	1925	1930	
CAG CCC CCT CTC AGG GTA GAG GAG ACC TGT GGC TGC CGC TGG ACC TGT Gln Pro Pro Leu Arg Val Glu Glu Thr Cys Gly Cys Arg Trp Thr Cys 1935 1940 1945				6040
CCC TGT GTG TGC ATG GGC AGC TCT ACC CGG CAC ATC GTG ACC TTT GAT Pro Cys Val Cys Met Gly Ser Ser Thr Arg His Ile Val Thr Phe Asp 1950 1955 1960				6088
GGG CAG AAT TTC AAG CTG ACT GGC AGC TGT TCG TAT GTC CTA TTT CAA Gly Gln Asn Phe Lys Leu Thr Gly Ser Cys Ser Tyr Val Leu Phe Gln 1965 1970 1975				6136
AAC AAG GAG CAG GAC CTG GAG GTG ATT CTC CAG AAT GGT GCC TGC AGC Asn Lys Glu Gln Asp Leu Glu Val Ile Leu Gln Asn Gly Ala Cys Ser 1980 1985 1990				6184
CCT GGG GCG AAG GAG ACC TGC ATG AAA TCC ATT GAG GTG AAG CAT GAC Pro Gly Ala Lys Glu Thr Cys Met Lys Ser Ile Glu Val Lys His Asp 1995 2000 2005 2010				6232
GGC CTC TCA GTT GAG CTC CAC AGT GAC ATG CAG ATG ACA GTG AAT GGG Gly Leu Ser Val Glu Leu His Ser Asp Met Gln Met Thr Val Asn Gly 2015 2020 2025				6280
AGA CTA GTC TCC ATC CCA TAT GTG GGT GGA GAC ATG GAA GTC AAT GTT Arg Leu Val Ser Ile Pro Tyr Val Gly Gly Asp Met Glu Val Asn Val 2030 2035 2040				6328
TAT GGG ACC ATC ATG TAT GAG GTC AGA TTC AAC CAT CTT GGC CAC ATC Tyr Gly Thr Ile Met Tyr Glu Val Arg Phe Asn His Leu Gly His Ile 2045 2050 2055				6376
TTC ACA TTC ACC CCC CAA AAC AAT GAG TTC CAG CTG CAG CTC AGC CCC Phe Thr Phe Thr Pro Gln Asn Asn Glu Phe Gln Leu Gln Leu Ser Pro 2060 2065 2070				6424
AGG ACC TTT GCT TCG AAG ACA TAT GGT CTC TGT GGG ATC TGT GAT GAG Arg Thr Phe Ala Ser Lys Thr Tyr Gly Leu Cys Gly Ile Cys Asp Glu 2075 2080 2085 2090				6472
AAC GGA GCC AAT GAC TTC ATT CTG AGG GAT GGG ACA GTC ACC ACA GAC Asn Gly Ala Asn Asp Phe Ile Leu Arg Asp Gly Thr Val Thr Thr Asp 2095 2100 2105				6520
TGG AAG GCA CTC ATC CAG GAA TGG ACC GTA CAG CAG CTT GGG AAG ACA Trp Lys Ala Leu Ile Gln Glu Trp Thr Val Gln Gln Leu Gly Lys Thr 2110 2115 2120				6568
TCC CAG CCT GTC CAT GAG GAG CAG TGT CCT GTC TCC GAA TTC TTC CAC Ser Gln Pro Val His Glu Glu Gln Cys Pro Val Ser Glu Phe Phe His 2125 2130 2135				6616
TGC CAG GTC CTC CTC TCA GAA TTG TTT GCC GAG TGC CAC AAG GTC CTC Cys Gln Val Leu Leu Ser Glu Leu Phe Ala Glu Cys His Lys Val Leu 2140 2145 2150				6664
GCT CCA GCC ACC TTT TAT GCC ATG TGC CAG CCC GAC AGT TGC CAC CCG Ala Pro Ala Thr Phe Tyr Ala Met Cys Gln Pro Asp Ser Cys His Pro 2155 2160 2165 2170				6712
AAG AAA GTG TGT GAG GCG ATT GCC TTG TAT GCC CAC CTC TGT CGG ACC Lys Lys Val Cys Glu Ala Ile Ala Leu Tyr Ala His Leu Cys Arg Thr 2175 2180 2185				6760
AAA GGG GTC TGT GTG GAC TGG AGG AGG GCC AAT TTC TGT GCT ATG TCA Lys Gly Val Cys Val Asp Trp Arg Arg Ala Asn Phe Cys Ala Met Ser 2190 2195 2200				6808
TGT CCA CCA TCC CTG GTG TAC AAC CAC TGT GAG CAT GGC TGC CCT CGG Cys Pro Pro Ser Leu Val Tyr Asn His Cys Glu His Gly Cys Pro Arg 2205 2210 2215				6856
CTC TGT GAA GGC AAT ACA AGC TCC TGT GGG GAC CAA CCC TCG GAA GGC Leu Cys Glu Gly Asn Thr Ser Ser Cys Gly Asp Gln Pro Ser Glu Gly 2220 2225 2230				6904
TGC TTC TGC CCC CCA AAC CAA GTC ATG CTG GAA GGT AGC TGT GTC CCC				6952

6,040,143

27

28

-continued

Cys Phe Cys Pro Pro Asn Gln Val Met Leu Glu Gly Ser Cys Val Pro 2235 2240 2245 2250	
GAG GAG GCC TGT ACC CAG TGC ATC AGC GAG GAT GGA GTC CGG CAC CAG Glu Glu Ala Cys Thr Gln Cys Ile Ser Glu Asp Gly Val Arg His Gln 2255 2260 2265	7000
TTC CTG GAA ACC TGG GTC CCA GCC CAC CAG CCT TGC CAG ATC TGC ACG Phe Leu Glu Thr Trp Val Pro Ala His Gln Pro Cys Gln Ile Cys Thr 2270 2275 2280	7048
TGC CTC AGT GGG CGG AAG GTC AAC TGT ACG TTG CAG CCC TGC CCC ACA Cys Leu Ser Gly Arg Lys Val Asn Cys Thr Leu Gln Pro Cys Pro Thr 2285 2290 2295	7096
GCC AAA GCT CCC ACC TGT GGC CCG TGT GAA GTG GCC CGC CTC CGC CAG Ala Lys Ala Pro Thr Cys Gly Pro Cys Glu Val Ala Arg Leu Arg Gln 2300 2305 2310	7144
AAC GCA GTG CAG TGC TGC CCG GAG TAC GAG TGT GTG TGT GAC CTG GTG Asn Ala Val Gln Cys Cys Pro Glu Tyr Glu Cys Val Cys Asp Leu Val 2315 2320 2325 2330	7192
AGC TGT GAC CTG CCC CCG GTG CCT CCC TGC GAA GAT GGC CTC CAG ATG Ser Cys Asp Leu Pro Pro Val Pro Pro Cys Glu Asp Gly Leu Gln Met 2335 2340 2345	7240
ACC CTG ACC AAT CCT GGC GAG TGC AGA CCC AAC TTC ACC TGT GCC TGC Thr Leu Thr Asn Pro Gly Glu Cys Arg Pro Asn Phe Thr Cys Ala Cys 2350 2355 2360	7288
AGG AAG GAT GAA TGC AGA CGG GAG TCC CCG CCC TCT TGT CCC CCG CAC Arg Lys Asp Glu Cys Arg Arg Glu Ser Pro Pro Ser Cys Pro Pro His 2365 2370 2375	7336
CGG ACG CCG GCC CTT CGG AAG ACT CAG TGC TGT GAT GAG TAT GAG TGT Arg Thr Pro Ala Leu Arg Lys Thr Gln Cys Cys Asp Glu Tyr Glu Cys 2380 2385 2390	7384
GCA TGC AAC TGT GTC AAC TCC ACG GTG AGC TGC CCG CTT GGG TAC CTG Ala Cys Asn Cys Val Asn Ser Thr Val Ser Cys Pro Leu Gly Tyr Leu 2395 2400 2405 2410	7432
GCC TCG GCT GTC ACC AAC GAC TGT GGC TGC ACC ACA ACA ACC TGC TTC Ala Ser Ala Val Thr Asn Asp Cys Gly Cys Thr Thr Thr Thr Cys Phe 2415 2420 2425	7480
CCT GAC AAG GTG TGT GTC CAC CGA GGC ACC ATC TAC CCT GTG GGC CAG Pro Asp Lys Val Cys Val His Arg Gly Thr Ile Tyr Pro Val Gly Gln 2430 2435 2440	7528
TTC TGG GAG GAG GCC TGT GAC GTG TGC ACC TGC ACG GAC TTG GAG GAC Phe Trp Glu Glu Ala Cys Asp Val Cys Thr Cys Thr Asp Leu Glu Asp 2445 2450 2455	7576
TCT GTG ATG GGC CTG CGT GTG GCC CAG TGC TCC CAG AAG CCC TGT GAG Ser Val Met Gly Leu Arg Val Ala Gln Cys Ser Gln Lys Pro Cys Glu 2460 2465 2470	7624
GAC AAC TGC CTG TCA GGC TTC ACT TAT GTC CTT CAT GAA GGC GAG TGC Asp Asn Cys Leu Ser Gly Phe Thr Tyr Val Leu His Glu Gly Glu Cys 2475 2480 2485 2490	7672
TGT GGA AGG TGT CTG CCA TCT GCC TGT GAG GTG GTC ACT GGT TCA CCA Cys Gly Arg Cys Leu Pro Ser Ala Cys Glu Val Val Thr Gly Ser Pro 2495 2500 2505	7720
CGG GGC GAC GCC CAG TCT CAC TGG AAG AAT GTT GGC TCT CAC TGG GCC Arg Gly Asp Ala Gln Ser His Trp Lys Asn Val Gly Ser His Trp Ala 2510 2515 2520	7768
TCC CCT GAC AAC CCC TGC CTC ATC AAT GAG TGT GTC CGA GTG AAG GAA Ser Pro Asp Asn Pro Cys Leu Ile Asn Glu Cys Val Arg Val Lys Glu 2525 2530 2535	7816
GAG GTC TTT GTG CAA CAG AGG AAT GTC TCC TGC CCC CAG CTG AAT GTC Glu Val Phe Val Gln Gln Arg Asn Val Ser Cys Pro Gln Leu Asn Val 2540 2545 2550	7864

6,040,143

29

30

-continued

CCC ACC TGC CCC ACG GGC TTC CAG CTG AGC TGT AAG ACC TCA GAG TGT	7912
Pro Thr Cys Pro Thr Gly Phe Gln Leu Ser Cys Lys Thr Ser Glu Cys	
2555 2560 2565 2570	
TGT CCC ACC TGT CAC TGC GAG CCC CTG GAG GCC TGC TTG CTC AAT GGT	7960
Cys Pro Thr Cys His Cys Glu Pro Leu Glu Ala Cys Leu Leu Asn Gly	
2575 2580 2585	
ACC ATC ATT GGG CCG GGG AAA AGT CTG ATG ATT GAT GTG TGT ACA ACC	8008
Thr Ile Ile Gly Pro Gly Lys Ser Leu Met Ile Asp Val Cys Thr Thr	
2590 2595 2600	
TGC CGC TGC ACC GTG CCG GTG GGA GTC ATC TCT GGA TTC AAG CTG GAG	8056
Cys Arg Cys Thr Val Pro Val Gly Val Ile Ser Gly Phe Lys Leu Glu	
2605 2610 2615	
GGC AGG AAG ACC ACC TGT GAG GCA TGC CCC CTG GGT TAT AAG GAA GAG	8104
Gly Arg Lys Thr Thr Cys Glu Ala Cys Pro Leu Gly Tyr Lys Glu Glu	
2620 2625 2630	
AAG AAC CAA GGT GAA TGC TGT GGG AGA TGT CTG CCT ATA GCT TGC ACC	8152
Lys Asn Gln Gly Glu Cys Cys Gly Arg Cys Leu Pro Ile Ala Cys Thr	
2635 2640 2645 2650	
ATT CAG CTA AGA GGA GGA CAG ATC ATG ACA CTG AAG CGT GAT GAG ACT	8200
Ile Gln Leu Arg Gly Gly Gln Ile Met Thr Leu Lys Arg Asp Glu Thr	
2655 2660 2665	
ATC CAG GAT GGC TGT GAC AGT CAC TTC TGC AAG GTC AAT GAA AGA GGA	8248
Ile Gln Asp Gly Cys Asp Ser His Phe Cys Lys Val Asn Glu Arg Gly	
2670 2675 2680	
GAG TAC ATC TGG GAG AAG AGA GTC ACG GGT TGC CCA CCT TTC GAT GAA	8296
Glu Tyr Ile Thr Glu Lys Arg Val Thr Gly Cys Pro Pro Phe Asp Glu	
2685 2690 2695	
CAC AAG TGT CTG GCT GAG GGA GGA AAA ATC ATG AAA ATT CCA GGC ACC	8344
His Lys Cys Leu Ala Glu Gly Gly Lys Ile Met Lys Ile Pro Gly Thr	
2700 2705 2710	
TGC TGT GAC ACA TGT GAG GAG CCA GAA TGC AAG GAT ATC ATT GCC AAG	8392
Cys Cys Asp Thr Cys Glu Glu Pro Glu Cys Lys Asp Ile Ile Ala Lys	
2715 2720 2725 2730	
CTG CAG CGT GTC AAA GTG GGA GAC TGT AAG TCT GAA GAG GAA GTG GAC	8440
Leu Gln Arg Val Lys Val Gly Asp Cys Lys Ser Glu Glu Glu Val Asp	
2735 2740 2745	
ATT CAT TAC TGT GAG GGT AAA TGT GCC AGC AAA GCC GTG TAC TCC ATC	8488
Ile His Tyr Cys Glu Gly Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile	
2750 2755 2760	
CAC ATG GAG GAT GTG CAG GAC CAG TGC TCC TGC TGC TCG CCC ACC CAG	8536
His Met Glu Asp Val Gln Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln	
2765 2770 2775	
ACG GAG CCC ATG CAG GTG GCC CTG CGC TGC ACC AAT GGC TCC CTC ATC	8584
Thr Glu Pro Met Gln Val Ala Leu Arg Cys Thr Asn Gly Ser Leu Ile	
2780 2785 2790	
TAC CAT GAG ATC CTC AAT GCC ATC GAA TGC AGG TGT TCC CCC AGG AAG	8632
Tyr His Glu Ile Leu Asn Ala Ile Glu Cys Arg Cys Ser Pro Arg Lys	
2795 2800 2805 2810	
TGC AGC AAG TGAGGCCACT GCCTGGATGC TACTGTGCGC TGCCTTACCC	8681
Cys Ser Lys	
GACCTCCTG GACTGGCCAG AGTGCTGCTC AGTCCTCCTC AGTCCTCCTC CTGCTCTGCT	8741
CTTGTGCTTC CTGATCCAC AATAAGGTC AATCTTTCAC CTTGAAAAAA AAAAAAAA	8801
A	8802

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2813 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

6,040,143

31

32

-continued

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

```

Met Ser Pro Thr Arg Leu Val Arg Val Leu Leu Ala Leu Ala Leu Ile
 1           5           10           15
Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr Val Gly Arg Ser Ser Met
          20           25           30
Ala Arg Cys Ser Leu Leu Gly Gly Asp Phe Ile Asn Thr Phe Asp Glu
          35           40           45
Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser Tyr Leu Leu Ala Gly Asp
          50           55           60
Cys Gln Glu His Ser Ile Ser Leu Ile Gly Gly Phe Gln Asn Asp Lys
          65           70           75           80
Arg Val Ser Leu Ser Val Tyr Leu Gly Glu Phe Phe Asp Ile His Leu
          85           90           95
Phe Val Asn Gly Thr Met Leu Gln Gly Thr Gln Ser Ile Ser Met Pro
          100          105          110
Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala Glu Ala Gly Tyr Tyr Lys
          115          120          125
Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala Arg Ile Asp Gly Asn Gly
          130          135          140
Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr Phe Asn Lys Thr Cys Gly
          145          150          155          160
Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu Asp Asp Phe Lys Thr Gln
          165          170          175
Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp Phe Ala Asn Ser Trp Ala
          180          185          190
Leu Ser Ser Gly Glu Gln Arg Cys Lys Arg Val Ser Pro Pro Ser Ser
          195          200          205
Pro Cys Asn Val Ser Ser Asp Glu Val Gln Gln Val Leu Trp Glu Gln
          210          215          220
Cys Gln Leu Leu Lys Ser Ala Ser Val Phe Ala Arg Cys His Pro Leu
          225          230          235          240
Val Asp Pro Glu Pro Phe Val Ala Leu Cys Glu Arg Thr Leu Cys Thr
          245          250          255
Cys Val Gln Gly Met Glu Cys Pro Cys Ala Val Leu Leu Glu Tyr Ala
          260          265          270
Arg Ala Cys Ala Gln Gln Gly Ile Val Leu Tyr Gly Trp Thr Asp His
          275          280          285
Ser Val Cys Arg Pro Ala Cys Pro Ala Gly Met Glu Tyr Lys Glu Cys
          290          295          300
Val Ser Pro Cys Thr Arg Thr Cys Gln Ser Leu His Val Lys Glu Val
          305          310          315          320
Cys Gln Glu Gln Cys Val Asp Gly Cys Ser Cys Pro Glu Gly Gln Leu
          325          330          335
Leu Asp Glu Gly His Cys Val Gly Ser Ala Glu Cys Ser Cys Val His
          340          345          350
Ala Gly Gln Arg Tyr Pro Pro Gly Ala Ser Leu Leu Gln Asp Cys His
          355          360          365
Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile Cys Ser Asn Glu Glu Cys
          370          375          380
Pro Gly Glu Cys Leu Val Thr Gly Gln Ser His Phe Lys Ser Phe Asp
          385          390          395          400

```

6,040,143

33

34

-continued

Asn Arg Tyr Phe Thr Phe Ser Gly Val Cys His Tyr Leu Leu Ala Gln
 405 410 415
 Asp Cys Gln Asp His Thr Phe Ser Val Val Ile Glu Thr Val Gln Cys
 420 425 430
 Ala Asp Asp Leu Asp Ala Val Cys Thr Arg Ser Val Thr Val Arg Leu
 435 440 445
 Pro Gly His His Asn Ser Leu Val Lys Leu Lys Asn Gly Gly Gly Val
 450 455 460
 Ser Met Asp Gly Gln Asp Ile Gln Ile Pro Leu Gln Gly Asp Leu
 465 470 475 480
 Arg Ile Gln His Thr Val Met Ala Ser Val Arg Leu Ser Tyr Gly Glu
 485 490 495
 Asp Leu Gln Met Asp Ser Asp Val Arg Gly Arg Leu Leu Val Thr Leu
 500 505 510
 Tyr Pro Ala Tyr Ala Gly Lys Thr Cys Gly Arg Gly Gly Asn Tyr Asn
 515 520 525
 Gly Asn Arg Gly Asp Asp Phe Val Thr Pro Ala Gly Leu Ala Glu Pro
 530 535 540
 Leu Val Glu Asp Phe Gly Asn Ala Trp Lys Leu Leu Gly Ala Cys Glu
 545 550 555 560
 Asn Leu Gln Lys Gln His Arg Asp Pro Cys Ser Leu Asn Pro Arg Gln
 565 570 575
 Ala Arg Phe Ala Glu Glu Ala Cys Ala Leu Leu Thr Ser Ser Lys Phe
 580 585 590
 Glu Pro Cys His Arg Ala Val Gly Pro Gln Pro Tyr Val Gln Asn Cys
 595 600 605
 Leu Tyr Asp Val Cys Ser Cys Ser Asp Gly Arg Asp Cys Leu Cys Ser
 610 615 620
 Ala Val Ala Asn Tyr Ala Ala Ala Val Ala Arg Arg Gly Val His Ile
 625 630 635 640
 Ala Trp Arg Glu Pro Gly Phe Cys Ala Leu Ser Cys Pro Gln Gly Gln
 645 650 655
 Val Tyr Leu Gln Cys Gly Thr Pro Cys Asn Met Thr Cys Leu Ser Leu
 660 665 670
 Ser Tyr Pro Glu Glu Asp Cys Asn Glu Val Cys Leu Glu Ser Cys Phe
 675 680 685
 Ser Pro Pro Gly Leu Tyr Leu Asp Glu Arg Gly Asp Cys Val Pro Lys
 690 695 700
 Ala Gln Cys Pro Cys Tyr Tyr Asp Gly Glu Ile Phe Gln Pro Glu Asp
 705 710 715 720
 Ile Phe Ser Asp His His Thr Met Cys Tyr Cys Glu Asp Gly Phe Met
 725 730 735
 His Cys Thr Thr Ser Gly Gly Leu Gly Ser Leu Leu Pro Asn Pro Val
 740 745 750
 Leu Ser Ser Pro Arg Cys His Arg Ser Lys Arg Ser Leu Ser Cys Arg
 755 760 765
 Pro Pro Met Val Lys Leu Val Cys Pro Ala Asp Asn Pro Arg Ala Glu
 770 775 780
 Gly Leu Glu Cys Ala Lys Thr Cys Gln Asn Tyr Asp Leu Gln Cys Met
 785 790 795 800
 Ser Thr Gly Cys Val Ser Gly Cys Leu Cys Pro Gln Gly Met Val Arg
 805 810 815

6,040,143

35

36

-continued

His	Glu	Asn	Arg	Cys	Val	Ala	Leu	Glu	Arg	Cys	Pro	Cys	Phe	His	Gln
					820						825				830
Gly	Gln	Glu	Tyr	Ala	Pro	Gly	Glu	Thr	Val	Lys	Ile	Asp	Cys	Asn	Thr
		835					840					845			
Cys	Val	Cys	Arg	Asp	Arg	Lys	Trp	Thr	Cys	Thr	Asp	His	Val	Cys	Asp
		850				855					860				
Ala	Thr	Cys	Ser	Ala	Ile	Gly	Met	Ala	His	Tyr	Leu	Thr	Phe	Asp	Gly
	865				870					875					880
Leu	Lys	Tyr	Leu	Phe	Pro	Gly	Glu	Cys	Gln	Tyr	Val	Leu	Val	Gln	Asp
				885					890					895	
Tyr	Cys	Gly	Ser	Asn	Pro	Gly	Thr	Leu	Arg	Ile	Leu	Val	Gly	Asn	Glu
		900						905					910		
Gly	Cys	Ser	Tyr	Pro	Ser	Val	Lys	Cys	Lys	Lys	Arg	Val	Thr	Ile	Leu
	915						920					925			
Val	Glu	Gly	Gly	Glu	Ile	Glu	Leu	Phe	Asp	Gly	Glu	Val	Asn	Val	Lys
	930					935					940				
Lys	Pro	Met	Lys	Asp	Glu	Thr	His	Phe	Glu	Val	Val	Glu	Ser	Gly	Gln
	945				950				955						960
Tyr	Val	Ile	Leu	Leu	Leu	Gly	Lys	Ala	Leu	Ser	Val	Val	Trp	Asp	His
			965					970						975	
Arg	Leu	Ser	Ile	Ser	Val	Thr	Leu	Lys	Arg	Thr	Tyr	Gln	Glu	Gln	Val
			980					985					990		
Cys	Gly	Leu	Cys	Gly	Asn	Phe	Asp	Gly	Ile	Gln	Asn	Asn	Asp	Phe	Thr
	995						1000					1005			
Ser	Ser	Ser	Leu	Gln	Ile	Glu	Glu	Asp	Pro	Val	Asp	Phe	Gly	Asn	Ser
	1010				1015					1020					
Trp	Lys	Val	Asn	Pro	Gln	Cys	Ala	Asp	Thr	Lys	Lys	Val	Pro	Leu	Asp
	1025				1030				1035					1040	
Ser	Ser	Pro	Ala	Val	Cys	His	Asn	Asn	Ile	Met	Lys	Gln	Thr	Met	Val
			1045						1050					1055	
Asp	Ser	Ser	Cys	Arg	Ile	Leu	Thr	Ser	Asp	Ile	Phe	Gln	Asp	Cys	Asn
			1060					1065				1070			
Arg	Leu	Val	Asp	Pro	Glu	Pro	Phe	Leu	Asp	Ile	Cys	Ile	Tyr	Asp	Thr
	1075					1080						1085			
Cys	Ser	Cys	Glu	Ser	Ile	Gly	Asp	Cys	Thr	Cys	Phe	Cys	Asp	Thr	Ile
	1090					1095					1100				
Ala	Ala	Tyr	Ala	His	Val	Cys	Ala	Gln	His	Gly	Lys	Val	Val	Ala	Trp
	1105				1110					1115					1120
Arg	Thr	Ala	Thr	Phe	Cys	Pro	Gln	Asn	Cys	Glu	Glu	Arg	Asn	Leu	His
			1125						1130				1135		
Glu	Asn	Gly	Tyr	Glu	Cys	Glu	Trp	Arg	Tyr	Asn	Ser	Cys	Ala	Pro	Ala
		1140					1145					1150			
Cys	Pro	Ile	Thr	Cys	Gln	His	Pro	Glu	Pro	Leu	Ala	Cys	Pro	Val	Gln
		1155				1160					1165				
Cys	Val	Glu	Gly	Cys	His	Ala	His	Cys	Pro	Pro	Gly	Lys	Ile	Leu	Asp
	1170				1175						1180				
Glu	Leu	Leu	Gln	Thr	Cys	Ile	Asp	Pro	Glu	Asp	Cys	Pro	Val	Cys	Glu
	1185				1190					1195				1200	
Val	Ala	Gly	Arg	Arg	Leu	Ala	Pro	Gly	Lys	Lys	Ile	Ile	Leu	Asn	Pro
			1205						1210				1215		
Ser	Asp	Pro	Glu	His	Cys	Gln	Ile	Cys	Asn	Cys	Asp	Gly	Val	Asn	Phe
		1220						1225				1230			
Thr	Cys	Lys	Ala	Cys	Arg	Glu	Pro	Gly	Ser	Val	Val	Val	Pro	Pro	Thr

6,040,143

37

38

-continued

1235	1240	1245
Asp Gly Pro Ile Gly Ser Thr Thr Ser Tyr Val Glu Asp Thr Ser Glu 1250 1255 1260		
Pro Pro Leu His Asp Phe His Cys Ser Arg Leu Leu Asp Leu Val Phe 1265 1270 1275 1280		
Leu Leu Asp Gly Ser Ser Lys Leu Ser Glu Asp Glu Phe Glu Val Leu 1285 1290 1295		
Lys Val Phe Val Val Gly Met Met Glu His Leu His Ile Ser Gln Lys 1300 1305 1310		
Arg Ile Arg Val Ala Val Val Glu Tyr His Asp Gly Ser His Ala Tyr 1315 1320 1325		
Ile Glu Leu Lys Asp Arg Lys Arg Pro Ser Glu Leu Arg Arg Ile Thr 1330 1335 1340		
Ser Gln Val Lys Tyr Ala Gly Ser Glu Val Ala Ser Thr Ser Glu Val 1345 1350 1355 1360		
Leu Lys Tyr Thr Leu Phe Gln Ile Phe Gly Lys Ile Asp Arg Pro Glu 1365 1370 1375		
Ala Ser Arg Ile Ala Leu Leu Leu Met Ala Ser Gln Glu Pro Ser Arg 1380 1385 1390		
Leu Ala Arg Asn Leu Val Arg Tyr Val Gln Gly Leu Lys Lys Lys 1395 1400 1405		
Val Ile Val Ile Pro Val Gly Ile Gly Pro His Ala Ser Leu Lys Gln 1410 1415 1420		
Ile His Leu Ile Glu Lys Gln Ala Pro Glu Asn Lys Ala Phe Val Phe 1425 1430 1435 1440		
Ser Gly Val Asp Glu Leu Glu Gln Arg Arg Asp Glu Ile Ile Asn Tyr 1445 1450 1455		
Leu Cys Asp Leu Ala Pro Glu Ala Pro Ala Pro Thr Gln His Pro Pro 1460 1465 1470		
Met Ala Gln Val Thr Val Gly Ser Glu Leu Leu Gly Val Ser Ser Pro 1475 1480 1485		
Gly Pro Lys Arg Asn Ser Met Val Leu Asp Val Val Phe Val Leu Glu 1490 1495 1500		
Gly Ser Asp Lys Ile Gly Glu Ala Asn Phe Asn Lys Ser Arg Glu Phe 1505 1510 1515 1520		
Met Glu Glu Val Ile Gln Arg Met Asp Val Gly Gln Asp Arg Ile His 1525 1530 1535		
Val Thr Val Leu Gln Tyr Ser Tyr Met Val Thr Val Glu Tyr Thr Phe 1540 1545 1550		
Ser Glu Ala Gln Ser Lys Gly Glu Val Leu Gln Gln Val Arg Asp Ile 1555 1560 1565		
Arg Tyr Arg Gly Gly Asn Arg Thr Asn Thr Gly Leu Ala Leu Gln Tyr 1570 1575 1580		
Leu Ser Glu His Ser Phe Ser Val Ser Gln Gly Asp Arg Glu Gln Val 1585 1590 1595 1600		
Pro Asn Leu Val Tyr Met Val Thr Gly Asn Pro Ala Ser Asp Glu Ile 1605 1610 1615		
Lys Arg Met Pro Gly Asp Ile Gln Val Val Pro Ile Gly Val Gly Pro 1620 1625 1630		
His Ala Asn Val Gln Glu Leu Glu Lys Ile Gly Trp Pro Asn Ala Pro 1635 1640 1645		
Ile Leu Ile His Asp Phe Glu Met Leu Pro Arg Glu Ala Pro Asp Leu 1650 1655 1660		

6,040,143

39

40

-continued

Val Leu Gln Arg Cys Cys Ser Gly Glu Gly Leu Gln Ile Pro Thr Leu
1665 1670 1675 1680

Ser Pro Thr Pro Asp Cys Ser Gln Pro Leu Asp Val Val Leu Leu Leu
1685 1690 1695

Asp Gly Ser Ser Ser Ile Pro Ala Ser Tyr Phe Asp Glu Met Lys Ser
1700 1705 1710

Phe Thr Lys Ala Phe Ile Ser Arg Ala Asn Ile Gly Pro Arg Leu Thr
1715 1720 1725

Gln Val Ser Val Leu Gln Tyr Gly Ser Ile Thr Thr Ile Asp Val Pro
1730 1735 1740

Trp Asn Val Ala Tyr Glu Lys Val His Leu Leu Ser Leu Val Asp Leu
1745 1750 1755 1760

Met Gln Gln Glu Gly Gly Pro Ser Glu Ile Gly Asp Ala Leu Ser Phe
1765 1770 1775

Ala Val Arg Tyr Val Thr Ser Glu Val His Gly Ala Arg Pro Gly Ala
1780 1785 1790

Ser Lys Ala Val Val Ile Leu Val Thr Asp Val Ser Val Asp Ser Val
1795 1800 1805

Asp Ala Ala Ala Glu Ala Ala Arg Ser Asn Arg Val Thr Val Phe Pro
1810 1815 1820

Ile Gly Ile Gly Asp Arg Tyr Ser Glu Ala Gln Leu Ser Ser Leu Ala
1825 1830 1835 1840

Gly Pro Lys Ala Gly Ser Asn Met Val Arg Leu Gln Arg Ile Glu Asp
1845 1850 1855

Leu Pro Thr Val Ala Thr Leu Gly Asn Ser Phe Phe His Lys Leu Cys
1860 1865 1870

Ser Gly Phe Asp Arg Val Cys Val Asp Glu Asp Gly Asn Glu Lys Arg
1875 1880 1885

Pro Gly Asp Val Trp Thr Leu Pro Asp Gln Cys His Thr Val Thr Cys
1890 1895 1900

Leu Pro Asp Gly Gln Thr Leu Leu Lys Ser His Arg Val Asn Cys Asp
1905 1910 1915 1920

Arg Gly Pro Arg Pro Ser Cys Pro Asn Gly Gln Pro Pro Leu Arg Val
1925 1930 1935

Glu Glu Thr Cys Gly Cys Arg Trp Thr Cys Pro Cys Val Cys Met Gly
1940 1945 1950

Ser Ser Thr Arg His Ile Val Thr Phe Asp Gly Gln Asn Phe Lys Leu
1955 1960 1965

Thr Gly Ser Cys Ser Tyr Val Leu Phe Gln Asn Lys Glu Gln Asp Leu
1970 1975 1980

Glu Val Ile Leu Gln Asn Gly Ala Cys Ser Pro Gly Ala Lys Glu Thr
1985 1990 1995 2000

Cys Met Lys Ser Ile Glu Val Lys His Asp Gly Leu Ser Val Glu Leu
2005 2010 2015

His Ser Asp Met Gln Met Thr Val Asn Gly Arg Leu Val Ser Ile Pro
2020 2025 2030

Tyr Val Gly Gly Asp Met Glu Val Asn Val Tyr Gly Thr Ile Met Tyr
2035 2040 2045

Glu Val Arg Phe Asn His Leu Gly His Ile Phe Thr Phe Thr Pro Gln
2050 2055 2060

Asn Asn Glu Phe Gln Leu Gln Leu Ser Pro Arg Thr Phe Ala Ser Lys
2065 2070 2075 2080

6,040,143

41

42

-continued

Thr Tyr Gly Leu Cys Gly Ile Cys Asp Glu Asn Gly Ala Asn Asp Phe	2085	2090	2095
Ile Leu Arg Asp Gly Thr Val Thr Thr Asp Trp Lys Ala Leu Ile Gln	2100	2105	2110
Glu Trp Thr Val Gln Gln Leu Gly Lys Thr Ser Gln Pro Val His Glu	2115	2120	2125
Glu Gln Cys Pro Val Ser Glu Phe Phe His Cys Gln Val Leu Leu Ser	2130	2135	2140
Glu Leu Phe Ala Glu Cys His Lys Val Leu Ala Pro Ala Thr Phe Tyr	2145	2150	2155
Ala Met Cys Gln Pro Asp Ser Cys His Pro Lys Lys Val Cys Glu Ala	2165	2170	2175
Ile Ala Leu Tyr Ala His Leu Cys Arg Thr Lys Gly Val Cys Val Asp	2180	2185	2190
Trp Arg Arg Ala Asn Phe Cys Ala Met Ser Cys Pro Pro Ser Leu Val	2195	2200	2205
Tyr Asn His Cys Glu His Gly Cys Pro Arg Leu Cys Glu Gly Asn Thr	2210	2215	2220
Ser Ser Cys Gly Asp Gln Pro Ser Glu Gly Cys Phe Cys Pro Pro Asn	2225	2230	2235
Gln Val Met Leu Glu Gly Ser Cys Val Pro Glu Glu Ala Cys Thr Gln	2245	2250	2255
Cys Ile Ser Glu Asp Gly Val Arg His Gln Phe Leu Glu Thr Trp Val	2260	2265	2270
Pro Ala His Gln Pro Cys Gln Ile Cys Thr Cys Leu Ser Gly Arg Lys	2275	2280	2285
Val Asn Cys Thr Leu Gln Pro Cys Pro Thr Ala Lys Ala Pro Thr Cys	2290	2295	2300
Gly Pro Cys Glu Val Ala Arg Leu Arg Gln Asn Ala Val Gln Cys Cys	2305	2310	2315
Pro Glu Tyr Glu Cys Val Cys Asp Leu Val Ser Cys Asp Leu Pro Pro	2325	2330	2335
Val Pro Pro Cys Glu Asp Gly Leu Gln Met Thr Leu Thr Asn Pro Gly	2340	2345	2350
Glu Cys Arg Pro Asn Phe Thr Cys Ala Cys Arg Lys Asp Glu Cys Arg	2355	2360	2365
Arg Glu Ser Pro Pro Ser Cys Pro Pro His Arg Thr Pro Ala Leu Arg	2370	2375	2380
Lys Thr Gln Cys Cys Asp Glu Tyr Glu Cys Ala Cys Asn Cys Val Asn	2385	2390	2395
Ser Thr Val Ser Cys Pro Leu Gly Tyr Leu Ala Ser Ala Val Thr Asn	2405	2410	2415
Asp Cys Gly Cys Thr Thr Thr Thr Cys Phe Pro Asp Lys Val Cys Val	2420	2425	2430
His Arg Gly Thr Ile Tyr Pro Val Gly Gln Phe Trp Glu Glu Ala Cys	2435	2440	2445
Asp Val Cys Thr Cys Thr Asp Leu Glu Asp Ser Val Met Gly Leu Arg	2450	2455	2460
Val Ala Gln Cys Ser Gln Lys Pro Cys Glu Asp Asn Cys Leu Ser Gly	2465	2470	2475
Phe Thr Tyr Val Leu His Glu Gly Glu Cys Cys Gly Arg Cys Leu Pro	2485	2490	2495
Ser Ala Cys Glu Val Val Thr Gly Ser Pro Arg Gly Asp Ala Gln Ser			

6,040,143

43

44

-continued

2500					2505					2510							
His Trp Lys Asn Val Gly Ser His Trp Ala Ser Pro Asp Asn Pro Cys																	
2515						2520						2525					
Leu Ile Asn Glu Cys Val Arg Val Lys Glu Glu Val Phe Val Gln Gln																	
2530						2535						2540					
Arg Asn Val Ser Cys Pro Gln Leu Asn Val Pro Thr Cys Pro Thr Gly																	
2545						2550						2555					
Phe Gln Leu Ser Cys Lys Thr Ser Glu Cys Cys Pro Thr Cys His Cys																	
2565						2570						2575					
Glu Pro Leu Glu Ala Cys Leu Leu Asn Gly Thr Ile Ile Gly Pro Gly																	
2580						2585						2590					
Lys Ser Leu Met Ile Asp Val Cys Thr Thr Cys Arg Cys Thr Val Pro																	
2595						2600						2605					
Val Gly Val Ile Ser Gly Phe Lys Leu Glu Gly Arg Lys Thr Thr Cys																	
2610						2615						2620					
Glu Ala Cys Pro Leu Gly Tyr Lys Glu Glu Lys Asn Gln Gly Glu Cys																	
2625						2630						2635					
Cys Gly Arg Cys Leu Pro Ile Ala Cys Thr Ile Gln Leu Arg Gly Gly																	
2645						2650						2655					
Gln Ile Met Thr Leu Lys Arg Asp Glu Thr Ile Gln Asp Gly Cys Asp																	
2660						2665						2670					
Ser His Phe Cys Lys Val Asn Glu Arg Gly Glu Tyr Ile Trp Glu Lys																	
2675						2680						2685					
Arg Val Thr Gly Cys Pro Pro Phe Asp Glu His Lys Cys Leu Ala Glu																	
2690						2695						2700					
Gly Gly Lys Ile Met Lys Ile Pro Gly Thr Cys Cys Asp Thr Cys Glu																	
2705						2710						2715					
Glu Pro Glu Cys Lys Asp Ile Ile Ala Lys Leu Gln Arg Val Lys Val																	
2725						2730						2735					
Gly Asp Cys Lys Ser Glu Glu Glu Val Asp Ile His Tyr Cys Glu Gly																	
2740						2745						2750					
Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile His Met Glu Asp Val Gln																	
2755						2760						2765					
Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln Thr Glu Pro Met Gln Val																	
2770						2775						2780					
Ala Leu Arg Cys Thr Asn Gly Ser Leu Ile Tyr His Glu Ile Leu Asn																	
2785						2790						2795					
Ala Ile Glu Cys Arg Cys Ser Pro Arg Lys Cys Ser Lys																	
2805						2810											

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

AGGGGGTTTC CAAATGACA AAAGAGTGAG CCTCTCCGTG TATCTCGGAG AATTTTTCGA

60

6,040,143

45

46

-continued

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

CATTTCATTG TTTGTCATG GTACCATGCT GCAGGGGACC CAAAGGTAAG TCAGAAGCCC 60

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

GAATGTTTCAG GTTAATATGG ACCCTGGGGA TCACCTTGCA ACCCCCTTGT TTTTCAGAT 60

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

GAGGGAGCCG GGGCCAGAG ACAGGAAGTA AATGTGCCCA GGGAAAGTGA GTGGCAGGAC 60

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

TGGGTGAAAG CCCCATATCC CGACTCCTGG TCAAGGAGAC TTTCACCAA GGTCCAGCC 60

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:

6,040,143

47

48

-continued

(A) LENGTH: 60 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

CTGGAGCATG GGGTGGGGT TGAAGGTGG AGGACATGG AGGAAATGCA TGAGAAGCAC 60

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 58 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GCTTCCTGAG CTCCTCCTTG TCCCACCAGC ATCTCCATGC CCTACGCCTC CAATGGGC 58

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AAATGACAAA AGAGTGAGCC GGTC 24

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

AAGTCTCCTT GACCAGCGGT CGGG 24

We claim:

1. An isolated nucleic acid comprising a nucleotide sequence encoding the polypeptide of SEQ ID NO. 2.

2. The isolated nucleic acid of claim 1, wherein the nucleotide sequence is capable of hybridizing to SEQ ID NO. 1.

6,040,143

49

3. The isolated nucleic acid of claim 1, wherein the nucleotide sequence encodes the Scottish terrier von Willebrand Factor polypeptide.

4. The isolated nucleic acid of claim 2, wherein the nucleotide sequence encodes the Scottish terrier von Willebrand Factor polypeptide. 5

5. A vector comprising the nucleic acid of claim 1.

6. A vector comprising the nucleic acid of claim 2.

7. A cell comprising the vector of claim 5.

8. A cell comprising the vector of claim 6. 10

9. An isolated nucleic acid comprising a nucleotide sequence encoding the polypeptide of SEQ ID NO. 2 having a mutation.

10. The isolated nucleic acid of claim 9, wherein the nucleotide sequence is capable of hybridizing to the complement of SEQ ID NO. 1 having a base deletion at codon 88. 15

11. A vector comprising the nucleic acid of claim 9.

12. A vector comprising the nucleic acid of claim 10.

13. A cell comprising the vector of claim 11.

14. A cell comprising the vector of claim 12. 20

15. An isolated oligonucleotide sequence consisting of contiguous nucleotides of the nucleic acid sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene.

16. An isolated oligonucleotide sequence consisting of contiguous nucleotides of the nucleic acid sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene. 25

17. A method of detecting a canine von Willebrand Factor gene in a sample comprising the steps of: 30

a) contacting the sample with an oligonucleotide comprising contiguous nucleotides of the nucleic acid sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene, under conditions favorable for hybridization of the oligonucleotide to any complementary sequences of nucleic acid in the sample; and 35

b) detecting hybridization, thereby detecting a canine von Willebrand Factor gene. 40

18. The method of claim 17, further comprising the step of:

c) quantifying hybridization of the oligonucleotide to complementary sequences. 45

19. The method of claim 17, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

20. An assay kit for screening for a canine von Willebrand Factor gene comprising:

a) an oligonucleotide comprising contiguous nucleotides of the nucleic acid sequence of SEQ ID NO. 1 and capable of hybridizing with the canine von Willebrand Factor gene; 50

b) reagents for hybridization of the oligonucleotide to a complementary nucleic acid sequence; and 55

c) container means for a)-b).

21. A method of detecting a canine von Willebrand Factor gene in a sample comprising the steps of:

50

a) contacting the sample with an oligonucleotide comprising contiguous nucleotides of the nucleic acid sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing to the complementary nucleotide sequence, under conditions favorable for hybridization of the oligonucleotide to any complementary sequences of nucleic acid in the sample; and

b) detecting hybridization, thereby detecting a canine von Willebrand Factor gene.

22. The method of claim 21, further comprising the step of:

c) quantifying hybridization of the oligonucleotide to complementary sequences.

23. The method of claim 21, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

24. An assay kit for screening for a canine von Willebrand Factor gene comprising:

a) an oligonucleotide comprising contiguous nucleotides from the nucleic acid sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing to the complementary nucleotide sequence;

b) reagents for hybridization of the oligonucleotide to a complementary nucleic acid sequence; and

c) container means for a)-b).

25. The assay kit of claim 24, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

26. A method for detecting a mutation in the nucleotide sequence encoding the polypeptide of SEQ ID NO: 2 in a canine DNA sample comprising the steps of:

a) amplifying the DNA sample by polymerase chain reaction to produce polymerase chain reaction products, wherein the polymerase chain reaction uses primers that produce a restriction site in a mutant allele but not in a normal allele;

b) digesting the polymerase chain reaction products with a restriction enzyme specific to the restriction site of the restriction site primer to produce DNA fragments; and

c) detecting the DNA fragments, thereby detecting a mutation in the nucleotide sequence encoding the polypeptide of SEQ ID NO: 2.

27. The method of claim 26, wherein the primers are those of SEQ ID NOS: 10 and 11.

28. The method of claim 26, wherein the DNA fragments are detected by gel electrophoresis.

29. The method of claim 27, wherein the restriction enzyme is BsiEI.

30. The method of claim 27, wherein the restriction enzyme is Sau96 I.

31. An oligonucleotide probe capable of detecting a mutation associated with canine von Willebrand's disease, wherein the mutation is a base deletion at codon 88 of SEQ ID NO. 1.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,040,143
DATED : March 21, 2000
INVENTOR(S) : Patrick J. Venta et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [73], Assignees: **The Regents of the University of Michigan, Ann Arbor, Michigan and Board of Trustees operating Michigan State University, East Lansing, Michigan**

Signed and Sealed this

Thirteenth Day of August, 2002

Attest:

A handwritten signature in black ink, appearing to read "James E. Rogan", written over a horizontal line.

Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office